



### MORE HORSEPOWER

FOR THE PERFORMANCE-MIND. ED KARTER IS AVAILABLE IN THE RECENTLY RELEASED 3 hp AND 4 hp ALL ROLLER BEARING ENGINES BY WEST BEND BIG-GER QUALITY CONSTRUCTION, IM.
PROVED CARBURETION AND LESS FRICTION MAKE THESE AND NEW ENGINES IDEAL FOR THE COMPETITION NOT RECOMMENDED FOR USE BY SMALL CHILDREN, WRITE ENTHUSIAST NOW FOR FULL PARTICULARS



fun on wheels - for everyone

Kart Kit

Go Karting is spreading and chances are, you're not already among the thousands e AFFICIANADOS, you'll soon be building a torrid termite of your own. We're convinced you can't touch the high quality of the Ker Kit for the price. It contains pre-form Chromemoly tube frame members, pneuma tires on matched-size wheels, BRAND NEW, hi-revving engine-in short, THE BEST! Complete plans and instructions are available for \$3.95. Look 'em over, and if you find you can't get the kart parts locally and save money, send the coupon back for full credit toward a Go Kart kit. Fair enough?

### NEW 4-COLOR BROCHURE

You'll be as pleased as we are with the new pamphlet that tells all about Go Karting, Many photos of Karts in action as well as views of the new 400 model in kit and kompleted form. Information and prices on the potent RACE KART are there with a full color exploded view of the 400 and a price breakdown of each individual part. Please enclose 25c for handling.

RELEASE MANNESS SACREMENT AND SACREMENTS. PETERSONETHER

GL RI AI

tere is himp S
an dip
anting
anting
are
are
are
are
are
are
are
are
are

We do strode mult of he abbe 1000 of Speed damme damme we'll w smeety

New y without Touch a page "Y the long Special Substitution in the long Special Special Substitution in the long Special Speci

### "THE MONEY-SAVING WAY TO MAKE YOUR CAR CLITTER AND GLEAM AGAIN" - CAR LIFE MAGAZINE

RIGHT ON YOUR CAR -WITH PERMANENT PLATING



Brings New, Gleaming Beauty to

Worn, Dull, even Blistered Chrome Areas of Your Car.

### BRING BACK NEW-CAR BRILLIANCE

at last is the car-owner's answer to all chrome prob... a way that you can do actual ELECTROPLATING you can use you can use actual allow I ROPLATING con your own car. You put a brand-new, shiny plating bumpers, grille, all auto trim. You bring back new sty and sparkle to your car... INCREASE ITS VALUE make yourself proud to own and drive ir. With SPEED-ATER you put on new mens as you brush! And the dag you apply becomes an INDESTRUCTIBLE PART e metal you plate . . . bonds itself on—forms a hard, kling, metal surface that defies all elements!

### BUMPERS-GRILLWORK-ALL CAR TRIM RESTORED TO NEW BRILLIANCE

e is how easily you REPLATE your car . . . you simply ap SPEEDPLATER'S wires to your car's battery, dip SPEEDPLATE Brush into the miracle in dip SPEEDFLAIR Drum and the ing solution and plate anywhere around your without removing any parts. Safe, mild that works FAST—yet uses less battery than the tiniest light on your car.

### TESTED AND APPROVED BY LEADING

AUTOMOTIVE MAGAZINES

OTOR TREND Magazine, New Products Test, July, 1958: We deliberately picked a disfault test area which was badly pieted and smoded . . Our Plating kit was the Empire Speed Plater. The final mult matched the chrome and was entirely satisfactory. Anyone should be able to obtain similar results . . ."

IOD & CUSTOM Magazine, New Products Test, April, 1958: of CUSTOMS magazine, revew protocci test, April, 1793-highater not only can be used to restore stratched, worn or blinered se on any part of your car, but can be used to plate thesal not not before. To for those wishing to plate their own items right se wishout having to depend upon a commercial chrones shop, wouch for the Speedplater's doing the job by apring that it works by as described, giving a lasting, durable, bright coating.

### Car Dealers & Service Stations Make Big Profits with Special Heavy-Duty Outfit

pr you can make TERRIFIC FUORTT3 plotting right in your own shop— floors removing humpers, griffe, sec. Increase value of your own shop— floors removing humpers, griffe, sec. Increase value of your used cari-nt by no five cariffer removal. Heavy Dury Outsi electroplates on cu-ter from sundard 12 whe henery. Enterio Outsi, COMPLETE, outy 34-15, Sachulen-sing Brash wish Persaneses Anothe, Wires and Clips for Benny Connection, title Budge Whech and Compound. Special Greding Wheat, Stripping into the remove of the control of the second process of the process of care from quickly make lack matter can so your very similar for dismost of care from quickly make lack matter can so your very limited for dismost of care from quickly make lack matter can so your very NEY BACK GUARANTEE Order now. If COD, send 15 deposit.

CASH REFUND IF NOT COMPLETELY SATISFIED

### MAKE BIG MONEY PLATING

Now you can add to your income during spare-time hours... because 8 out of 10 cars on the road today NEED RE-PLATING. You can charge \$5.00 for touching-up to \$50.00

PLATING. You can charge \$5.00 for touching-up to experience for replating an entire car.

Platine is feut, nool You'll ger a kick our of taking russed, pitted, worn metal and bringine it back to shining smooth-ness. When neighbors see the brilliane plating on your car, they'll wear you to do the job for them.

And you can plate other things for profit, noo... faucets, appliances, tableware, cutlery, nools, doctors' and dereists' instruments... you can get more solutions at low prices any time—also solutions to plate silver, gold and rholium. There's big money in jewelty and silverplate world. You get ALL INSTRUCTIONS for plating with your Speedplate Outfil!

MAIL COUPON NOW-YOU RISK NOTHING MAIL COUPON NOW—YOU MESK MOTHINGS If you wan to put new, permanent, gluening gluening on your own cut, you can do it right owey and not rich a dine. If you not not COMPLETELY statisfied visit great reachin, but return your not COMPLETELY statisfied visit great reachin, but return your ACT NOW! Here's what you age: SPEEDFLATER Evenb, with ACT NOW! Here's what you age: SPEEDFLATER Evenb, with permanent Annel for He-friend pating, Witne and Change for heavesy bands-up; cannelly adminished to place of the coupon of the control of the coupon of th

BANNER ASSECMANDESING CO., Dopt. CC-19
4 Month Srd Area. 8th. Verman. M. Y
Please rash Srd be electroplating first I how checked.

Replies SPEEDPLATE OUTPIT, \$14.95 (if C.O.D. send
\$1 deposit.)

Howsy-Duty Service Station Outfit, \$34.95 (if C.O.D. send
\$3 deposit.)

I enclose full price, send postpaid.

I understand that I want be COMPLETELY SATISFIED or I
may return kit within 30-dept for immediate CASH REFUND.



### CAR

**EDITOR Dick Day** 

MANAGING EDITOR Don Evans

ASSOCIATE EDITOR Jim Gilbert

EDITORIAL DESIGN Art Smith

PRODUCTION Yvonne Hull
Marie Donnell

ADVERTISING Jim Long

AD PRODUCTION Bob Young

PHOTOGRAPHERS Bob D'Olivo

Al Paloczy

Colin Creitz

Pat Brollier

EDITORIAL FIELD Bob Hardee
REPRESENTATIVES George Barris
Bud Lang
Frank Faraone
Woody Higgins

### ADVERTISING OFFICES

5959 Hollywood Blvd., Los Angeles 28, Calif. 524 Book Bldg., Detroit 21, Michigan 360 N. Michigan Ave., Chicago 1, Illinois 17 E. 48th Street, New York 17, New York

Car Craft, U. S. Copyright 1928 by Peterson Publishins CS, 5959 heliywood Bird., Lee Angelon 29, Calif. Second-class postess peld of Lee Angelon, Calif. Subscription Enters U. S., Pessessione, Canada—I year S. 27 years S. 25¢ per capy. Overson—I year \$4, 2 years S. Give 3 weeks notice for eddress change. ADVERTIS-HOF. Peterson Publishing Co., 5959 Hollywood Bird., L. A. 28, Calif.—17 E. 48th St., N. Y. 17, N. Y.—324 Book Bird., Defroy 26, Middle, D.

IAN

## **ERAFT**

### estures

20 RADIANT ROADSTER

Bill Moore's classic '32 Roadster in modern dress

24 BLOWERS MAKE WINNERS

Speed records fall as blower equipped cars prove theory

32 ACCESSORY OF THE MONTH

Electric Window Lifts for all cars at a reasonable price

35 CORVETTE GLAMOUR

Six of the most unusual restyled Corvettes yet seen

51 GENIE WITH A TOUCH

New York enthusiast creates sports custom from a Buick

54 RESTYLING THE '59 CHEVROLET

Barris Kustom expresses ideas on a brand new model

58 "HOT KARTS"

Radical modifications are bred into experimental karts

### tepartments

- 6 SHOPPING AROUND
- **68 WHAT'S YOUR PROBLEM?**
- 12 CORRESPONDENCE

78 CUSTOM QUERIES

### 83 COMING ATTRACTION

#### tover

hatured on this month's cover are three shots of Bill Moore's exceptionally well done '32 Ford badster. Winner of 23 trophies, the little rod is an attention getter where ever it's displayed. The car has many novel features incorporated into its designing. For full information see page 20.

- Anscochromes by George Barris

PUBLISHER bert E. Petersen EDITORIAL DIRECTOR
Wally Parks

BUSINESS MANAGER Ted Johnson


CIRCULATION Gordon Bohn

ENERAL MANAGER Lee O, Ryan ART DIRECTOR

A, M, Benedict

Bob Nylund





#### MOSS WHEELS


Specially designed for quarter-midget race cars, Moss announces a new line of competition wheels constructed of honey-combed patterned aluminum. Builder claims a 50% increase in the strength of the units. Available in two sizes. Aircraft self-locking nuts are used in assembly. Knock-off hubs and bearings are optional. Price \$7.25 -5" size; \$8.75 - 6" size. Write: Moss Engineering Co., 392-cc East Beach Ave, Inglewood, Calif.

### **POWR-GARD**

A replacement dipstick, POWR-GARD is chromeplated to allow you to observe the condition of your oil at a glance.


Manufacturer states that the replaceable magnesium element works to neutralize harmful acids and the magnet attached attracts the metallic "junk." Price \$7.95 for set of transmission and engine sticks.


Write: New Science Institute, 724-cc
N. Lake St., Burbank, California.



#### WEE FOLKS WAGON

Latest small car for children. Features battery driven electric motor. Comes with battery charger, two batteries, puncture-proof tires, hand brake, forward-reverse switch and an ignition locking switch. Manufacturer claims that it is not too fast to be dangerous, but fast enough to keep up with America on wheels. Price: \$300.00. Write: Grant and Grant, 241-cc N. Westmoreland Ave., Los Angeles 4, Calif.





COMPLETELY ASSEMBLED

\$149°°

As you know, Bug Engineering has strived in the past to bring to you the finest fun car available, yet keeping in the low competitive price range. Experimenting goes hand in hand with Engineering to further FUN TIME PLEASURE. In all, in the low competitive field, the finest car in the "Formula K" Class is the "BUG."

For further information send for free color brochure (please enclose 10¢ for handling) to:

Bugengineering P. O. BOX 91, CC-1, WEST COVINA, CALIFORNIA

JANUARY, 1959

neyr :h

-5" ve.,

6-

d

7



### Have Your Fun and Earn Big Pay, too

### Learn Auto Mochanics at Home in Spare Time

Tie this for opportunity! Right now. America needs 100,000 newly-trained mechanics. By 1967, when 90 million vehicles will be on the road, America will be short 600,000 mechanics! Many earn up to \$3.00 an hour. Learn this well-paid, secure trade at home. CTI shop-method is easy, fast, sure. Mail coupon for tree new Catalog and Lesson Sample. Act today.



Diesel or Body-Fender Rebuilding Instruction

You learn Tune-Up: Overhaul: Electric, Cooling & Lubricating systems; Power Brakes: Power Steeing; Clutches: Automatic Transmissions; etc. You also get Diesel Mechanics or Body-Fender Rebuilding training at no extra cost.

### Train by Practicing with Tune-Up Kit & Tools





CTI sends you professional Mechanic's Tools and Tune-Up Kit. Instruments include a Compression Tester, Vacuum Gauge and Fuel Pump Tester, Ignition Timing Light; in portable steel case.

MANY STUDENTS EARN CASH as they train. They fix cars on their own, or work in local shops. Get all the facts free. Mail coupon now. You can decide later.

MAIL	
TODAY	

COMMERCIAL 1400 Greenleaf	RADE	IN	STITU	TE	Dept. A-959
Send free book,	Make	Big	Mone	y in	Auto Mechanics.
Address		-			Age
		_ z	опе_	S	ate

### SHOPPING AROUND

RACING HE

This competition head is claimed to a made of the highest quality aluming used in aircraft construction. Maximuthin area allows for extreme her dissipation. Large fins help in cooling process. Designed exclusively the Continental AU7R engine which can be used in quarter and half midget no cars. Price \$25.00. Write: Hornet Paragon 2260-cc S. Chestnut, Fresno, California



LOWERING KIT

\$49

Pec

MI


No mi ha

in is pi sa be sto W

Lower that '58 Chev with this new kit that requires no heat. Simply clamp these to your springs, and presto your Chev is 2-4" lower. Manufacturer states that clamps may be installed in 15 minutes.


Kit depresses the coils of the springs to bring the front end down for that sleek look. Price: \$5.95 per set. Write: Schrager Engineering Co., 8617-cc W. Third St., Los Angeles 48, California.





#### T-BIRD DISTRIBUTOR

New Holly Rotovance distributor is now on the market. Featuring a mechanical achometer drive, the Holly unit will fit all models of the Thunderbirds. Easy to install, the distributor fits exactly like the original equipment. Mechanism omes complete, no alterations. Price: \$49.95. Write: Valley Machine, 307-cc Peck Road, El Monte, California.



#### MIDGET CAR BRAKE

Now available for most quarter and half midget cars, the latest in brakes have recently been introduced. A 2-shoe internal expanding brake, the unit is designed to fit a 32 sprocket #40 pitch chain. However, manufacturer says that models for all chains will soon be in full production. Made of sturdy steel, the price: \$14.95. Write: Wahlborg Engineering Co., 3103-cc Pacific Coast Highway, Torrance, Calif.

### POTVIN BLOWER KITS

Send \$1.00 for BIG 50 Page Catalog refun-able on 1st purchase.

POTVIN KITS

(Less Blowers -Approx. List Price) Olds. V-8's for 6:71 \$312 Chrys. V-8's for 6:71 \$312 Chev. V-8's for 4:71 \$312

Hillborn Injector Kits for Patvin Blower Kits Either 4- or 6-71

Either 4- or 6-71 Complete \$245. Also New 6-71 GMC Blowers When Purchased with Kit \$100. Good Used Rebuilt 4:71's \$175. Exclusive Distribute OXbow 8-2585

MOON EQUIP. CO

## CA NNUA

ONLY 75c AT NEWSSTANDS

NOW! (Or mail coupon today!)

TREND BOOKS 5959 Hollywood Blvd., Los Angeles 28, Calif. Send me \_\_\_copies 1959 CUSTOM CARS ANNUAL, I enclose 85¢ for each (covers postage, etc.) NAME. STREET CITY.

STATE

ZONE.

LUTHER HEAVY DUTY **GEAR CASE** \$23.00

Designed for the roughest treatment, this beefy but light gear case is precision-machined, made of extra-sturdy heat-treated aluminum.

AVAILABLE WITH NEEDLE BEARINGS OR BALL BEARINGS. MAY BE USED WITH SPECIAL LUTHER BALL BEARING COVER OR STANDARD CONTINENTAL GEAR CASE COVER.

> Send for free brochure DEALER INQUIRIES INVITED

#### LUTHER ENGINEERING

6 Esther Street, CC-1, RYan 1-8197 . Pasadena, Calif.

### PHOLSTER with a BRI



Renew dull, faded, worn leather or vinyl plastic up-holstery. Car, plane or boat seats, headliners, sidepan-els will look new in any color. Redesign, customize new or used interiors. You can change color too! Easily applied brush or spray.
RamCote Flexible Finishes

(not a paint) impregnates leather or vinyl plastic up-holstery. Won't chip or peel. Fadeproof, waterproof. Use on home & lawn furni-ture. Write for free information, color chart, and dealer location


RAMCOTE, 1141 W. 69th St. Chicage 21, III., Dept. GC





AMROC ENG. CO. CC1 ISLAND PARK.

### A MIGHTY TOUGH CUSTOMER! | SHOPPING AROUND



OVAL TRACK TIMES

Featuring dual timing which registers 30 seconds to 100 second, the new oval track timer is claimed to eliminate errors and arguments resulting from manual timing. Dual or sequential lap timing may be used. Unit uses a unique magnetic locking system for the panelmounted time pieces allowing quick removal and winding. For price, write: The Chrondek Company, Dept-cc, Box 131c2, La Verne, California.



MIDGET SLICKS

Designed to fit quarter, half midgets and go-karts, A-1 Tires have announced their latest in racing slick tires. They are available in either grooved or ungrooved with a four inch flat tread. Tires are made from exclusive rubber compound. Most popular sizes are now available. For prices and further information, write: A-1 Tire Service, Dept-cc, 1217 West Valley, El Monte, California.

JAN

CLUB JACKETS
SPECIFICALLY DESIGNED FOR CAR CLUBS

- \* Many models and dozens of color combinations.
- \* Styling, lettering, and emblems are finest in the nation.
- Prices include all lettering and emblems. \$13.50 to \$25.00 in club lots of 6 or more.
- \* No individual orders 6 minimum.
- \* Free Literature.

MER

s 30 new nate rom

tim-

nd-

uick ite

Box

nia.

3

SEND 25¢ TODAY For complete catalog on Emblems, Jackets, Decals, Plaques, Novelties—including information on how to start your club.





PLAQUES
JACKETS
T-SHIRTS
EMBLEMS
DECALS
FLAGS
TROPHIES
EMBROIDERY
CHENILLE
NOVELTIES

STYLIZED EMBLEM CO.

1072 G No. Wilton Pl Hollywood 38, Calif

## CRAGAR SUPERCHARGER KIT

40% HORSEPOWER INCREASE!
Cragar Supercharger Kits are designed to adapt the

popular G.M.C. Blower unit to most late model OHV-V8 engines. This means a 40% Horsepower increase, FITS FORD, CHEVROLET, MERCURY, BUICK, OLDSMOBILE,

FITS FORD, CHEVROLET, MERCURY, BUICK, OLDSMOBILE, CADILLAC AND CHRYSLER O. H.V. V8 ENGINES
See your Dealer or send for free catalog today.

E AUTO PARTS, INC.

LUdlow 7-5229 3633 East Gage Ave., Bell 13, California





### **A-1 Tire Service**

SLICKS FOR YOUR
1/4 MIDGETS, 1/2 MIDGETS
AND GO KARTS

Made out of Special Blended Racing Rubber – Grooved or Ungrooved 4" flat tread

See Your Local Quarter Midget Dealer For America's Finest Quarter Midget Slick Courtesy to Dealers All inquiries answered

1217 W. VALLEY . C1 . EL MONTE, CALIF.

GI 4-1078 CU 3-4265



### For all CUSTOM CARS or STOCKERS

### CAR NAME DECALS BY BARON & ROTH


These names are the latest from the Crazy Painters.  $10^{\prime\prime\prime}$  x  $2^{\prime\prime\prime}$  triple coated gold hand lettered names. Every rod and custom should have one. Wrap them as a gift or put them on your own car. \$1.00 per name or 6 for \$5.00.

• PURPLE PEOPLE EATER • REBEL ROUSER • RUMBLE WAGON • RUSTED AND BUSTED • YELLER DOG • NIGHT TRAIN • ROCKIN ROBIN • WAY OUT WILLY • LITTLE STAR • LITTLE JEWEL • ALIBI KART • TAKEELA

Also don't forget to order your scalloped decals, 6 for \$5.00; and individually styled Wierd-0 Shirts \$5.00 each in time for Christmas delivery. Personally autographed picture of the Crazy Painters with each order on request.

THE CRAZY PAINTERS, BARON & ROTH

9001 Atlantic, South Gate, Calif., Dept. C-1 LO. 6-4363



### LETTERS

#### FRANTIC FORD

PA

VOU W

you n

FIRST CI

ST

eal bea

num,

Headligh

Headligh

CHEA.

just wh

stalling

lat he Chev 60 NO all

Use yo

tery an

to buy

change

radio,

345 cu

JANU

Dear Sir:

I am sending you a snapshot of my '50 Our en Ford. Originally this car was a club coupe ally do The top was chopped 3½", the headlight items it were hand formed with '53 Buick in mind's rds. T



The grille is from a '55 Chrysler rear bumper. The bumpers are from a '51 Ford, grille shell is reformed and splash pans are molded to fenders. Hood is rounded and has an airscoop. The side trim is '55 Buick, bubble skirts are hand formed. Doors and windows are operated electrically. The rear quarters are extended 14" with '54 Olds lenses built into them. It has a continental kit, and the gas tank filler is hidden in the trunk. It has a white vinal Carson built top, which is removable. The interior has black and white rolls and pleats and rugs. It is bored, ported & relieved; has Jahns aluminum pistons, Offy heads and manifold, Belond headers, Mallory ignition and a truck clutch. The car is also lowered 5" in rear and 3" up front with blocks and cut coils and reworked A frames. It took over two years to build.

I would be very honored to see my car in your great magazine.

Edward Meritai
 East Paterson, N. J.

#### PREXY'S CAR

Dear Sir:

As president of the "Kingpins Auto and Rod Club, Inc.," here in Illinois I would like to see one of our cars printed in your magazine. The club has a fine library of auto books, Custom Cars and Car Craft (Honk) since the first issues.

Enclosed is a shot of my '56 Ford Vic,

12

### 1/4 & 1/2 MIDGET ENGINES

### PARTS & ACCESSORIES

50 Dur engineering department is continually developing new and improved tems manufactured to aircraft stand-drards. To give you the **PERFORMANCE** you want with the RELIABILITY you need.

HEST CHOICE BY TOP DRIVERS & MECHANICS



See your local dealer or send 25¢ for brochure and new price list, **Authorized Continental Sales & Service** 

### ENGINES

5926 Noble Ave., Van Nuys, Calif. • ST. 5-5464



### STREAMLINED QUAD HEADLIGHT BRACKETS

Uses small 6 in. diameter headlights with same size seal beam as 1958 cars. Chrome-like finish for that cus-mappearance. Easily attached to frame. Sturdy alu-nium, highly polished. Brackets only......\$16.95 pr. Headlights, prime painted......\$7.50 ea. Headlights, chrome plated......\$9.95 ea.

#### CHEY Y-8 6-VOLT STARTER

Just what you need when installing Chev V-8 engine in lat head Fords, Plymouths, that head Forgs, Frymousing, Chev 6s, Jeeps, etc. Requires 80 alterations to flywheel. lise your present 6-volt bat-tery and generator. No need to buy new 12-volt battery,

change lights, gauges, heater, radio, voltage regulator, etc. Use stock Chev distribu-br & 6-volt coil. Fits all 55-58 Chev engines except 35 cu. in. Starter & Solemoid \$47.50, F.O.B. \$10.00 deposit required.



TORNADO STREAMLINED HEADLIGHT BRACKETS

HEADLIGHTS for above. Black enamel, sealed beam. Per pair....



Write Dept. CC-1 SPEED SNOP Ph. Templebar 2-9686 1143 E. 14th St., Oakland 6, Calif.

Quantity Prices to Dealers. Write on your letterhead. All Prices F.O.B. Oakland

JANUARY, 1959



For that 3-D BEAUTY . . Get





FITS ALL MODELS OF THE 55-56 FORD AND 55-56 PLYMOUTH


CUSTOM SKIRTS MADE TO ORDER

Skirts to fit all models Send for free literature Dept. CT 5401 WEST WARREN AVE. DETROIT 10, MICHIGAN

CHRISTOPHER 8 SONS - MANUFACTURERS

## NEW 1/4 & 1/2 MIDGET MAGNETOS

 Designed and tested far beyond maximum engine rpm



- Eliminates Battery
- Ball Bearing mounted, Alnico Retating Magnet
- Pivatless Aircraft type points
- Molded coil

Write for free technical brochure



### LETTERS

CONTINUED

which is well known around these parts and I hope you have room to place it.

I have removed all the garbage from both hood and deck along with door handles and locks. The doors and rear deck are operated



electrically. The gas filler was placed where it belongs in the trunk and parts from Ford/Pontiac make up the rear bumper. A '56 Plymouth grille, Edsel hubs and '57 Ford tail lenses finish off the auto. I have installed fourteen switches under the dash for cut offs for doors, trunk, lights and other equipment.

— Ronald W. Reilly

Chicago, Illinois

If your club has more cars as nice as yours, Ron, we would appreciate seeing them.— Ed.

CLEAN AND COOL

Dear Sir:

I would like to enter my pictures in your magazine. It is a '52 Chev club coupe. It has been painted silver blue. It has been lowered 5" in the front and 3" in the rear. It has been



nosed and decked and the door handles removed. There are pipes and headers and a '50 Olds one piece windshield. The teeth in the grille are sprayed with color chrome, in dark blue and the gas cover is louvered.

Don Love
 Lakewood, Calif.

MOSS 1/2

MOSS ENGINEERING CO., noted midget race car builder introduces the 1/2 Midget for entire Family Fun; designed for youngsters and adults alike.

**BIG OPPORTUNITIES** for qualified dealers -Write or Wire Today for full details.

· This Safety-engineered race-ready MOSS 1/2 MIDJET with latest features of teday's big race

EĐ

ad

sd

- Tempered Fibreglass bodies in thrilling colors.
- · Fully chromed and upholstered.
- · Adjustable torsion-bar suspension for weight transfer, with clutch,

· Choice of 3 h.p.

Continental engine

or 7 h.p. McCulloch

\* Extra stordy, light weight aircraft-type frame for added safety,

PREEL Write today to Sam Hanks for autographed 1957 Indy racing photo and illustrated brochure on the 1/4 and 1/4 MOSS MID-JET c/o Dept. CC-1

MOSS ENGINEERING CO

392 East Beach Ave Inglewood, California

Sam Hanks '57 Indianap "500" Winne



There are many ways to lower the front of your car. The heating of the coils — the cutting of the coils — but if you want perfect stock ride, the support kit is the only way that does not change the steering geometry. These kits can be installed by anyone with a few hand tools. Instructions are in the kit. If your car is not listed on this sheet, please send for prices.

MAKE OF CAR	YEAR	DROP	PRICE	MAKE OF CAR	WEAR & MODEL	DROP	PRICE
BUICK	*1949 to 1956 1957	2 2	\$34.95 69.95	LINCOLN	*1949 to 1951 1952 to 1957	3	\$39.95 69.95
CADILLAC	*1949 to 1956 1957	2	34.95 69.95	MERCURY	*1949 to 1953 1954 to 1957	3 .	39.95 69.95
CHEVROLET	*1949 to 1954 1955 to 1957	2 2	34.95 69.95	OLDSMOBILE	*1949 to 1956 1957	**2	34.95 69.95
CHRYSLER (DeSoto, Dodge & Plymouth)	1946 to 1956 1957	3 2	34.95 69.95	PONTIAC	*1949 to 1956 1957	**2	31.95 69.95
FORD	*1949 to 1953 1955 to 1957	3	39.95 69.95	PACKARD PLYMOUTH	*1949 to 1957 1942 to 1956	**2	39.95 34.95

All year models marked thus (°) should also have dropped steering arms installed in conjunction with the lowering supports to insure correct steering geometry. Dropped steering arms are priced at \$10.00 per pair. All drops are a standard 2 inches but those marked thus (\*\*) may be obtained in a 3 inch drop

desired. All parts are sold on an exchange basis and a \$10.00 core charge will be made on all kits except

the \$69.95 kits which carry a \$30.00 core charge.

### PACEMAKER LETTE QUARTER MIDGET



### NOW AVAILABLE - HALF MIDGETS

- . FULLY INDEPENDENT 4-WHEEL SUSPENSION BALL JOINT WITH LOWER A-FRAMES AND TOP TRANSVERSE LEAF SPRING
- . UNIQUE WIDE PIVOT SWING AXLES WITH LEAF SPRING
- LEAF SPYLING
  CHAIN DRIVE THRU FRAME-MOUNTED LARGE
  SPROCKET AND SPICER U-JOINT
  FRONT SUSPENSION DESIGN ALLOWS
  FULL ADJUSTMENTS FOR TOE-IN
  CASTER AND CAMBER REAR SUSPENSION
  HAS ADJUSTABLE TOE-IN
  HAS ADJUSTABLE TOE-IN

- SPRING DESIGN PERMITS WEDGING FOR ASPHALT TRACKS
- . SAFETY EQUIPMENT INCLUDES ROLL BAR AND SAFETY BELT

### TRACK MASTERS INC.

9116 Van Nuys Blvd., CC-1, Van Nuys, Calif. DEALER INQUIRIES INVITED

### NO MORE WORRY ABOUT WEAR ON YOUR AUTR CRANKSHAFT!

with Wilson's Hardfacing and Re-grinding process.

Welded with Special Friction-Reducing Hardfaced Alloy. Gives Longer-Wearing Bearing Surface - Higher RPM - Tops for Racing.





#### CONTINENTAL RACING CAMS FOR TROPHY DASH **PERFORMANCE**



3 Fast Grinds to choose from: 34-Full & Super Track. All coms built up and hard faced. In the East, WILSON CAMS are Speed Shop, Langhorne, Pa.

(Dealer inquiries invited)

### Dempsey Wilson

RACING CAMS Dept. CC-1 4667 W. Rosecrans Ave., Hawthorne, Calif.

### FIBERGLASS FLEETLINE

Dear Sir:

Here is our conception of a way out! Chevy Fleetline. Although it is only in primer as vet, we hope it may serve as a h to other persons who may be customize this model. This was done on a college bud



of less than \$200.00. The complete proje was accomplished by using a plastic fibergle product called "Bondo." Since the successful result of our first car, we are doing a smi amount of custom work on weekends.

Thanks for your help.

- Bill Rahn and Ray Riley Wichita, Kansas

We would like to see the finished project, fellows. You have a great start. - Ed.

### RIVERSIDE RUNABOUT

Dear Sir:

I enjoy reading your magazine very much Enclosed is a picture of my white '52 Ford Sunliner convertible. It has a custom top



electric doors, a '53 Chev grille, side exhaust pipes, bubble skirts, and custom interior.

> - Joe Kowaleski Riverside, N. J.

The installation of the Chevy grille looks especially nice, Joe. - Ed.



## GIVE GIFT SUBSCRIPTIONS TO CAR

AT THESE SPECIAL LOW RATES:

PIRST SUBSCRIPTION \$2.00
EACH ADDITIONAL \$1.50

You can't guarantee Santa coming down the chimney in the middle of summer, but you can give your automotive-minded friends a present that will bring them Christmas cheer 12 times a year. It's CAR CRAFT, tops with car fans all year long!

With these exclusive holiday rates, you can give a year of CAR CRAFT for just \$2—and each additional subscription is only \$1.50! You'll be doing your friends a real favor, and be getting those Christmas shopping chores out of the way at the same time.

CAR CRAFT Christmas gift subscriptions are easy to give — all you do is fill out the handy order form below — we take care of all the mailing details. We even send an attractive gift card with your name inscribed, so be sure to tell us how to sign your name. Don't forget — you may include your own new or renewal subscription at the same bargain prices.

Take advantage of this exceptional offer today — use the form below to give CAR CRAFT, America's No. 1 customizing handbook!

		., Los Angeles 28, Cal	
			year subscription at \$2.00  Check money order
Send 1 year gift of CAR CRAFT to:	□ NEW	street	etata
		city	statestate
Send 1 year gift of CAR CRAFT to:	□ NEW	street	
CAR CRAFT 10:	- EXIEMD		state
Include my ewn	□ NEW		
subscription to:	de my ewn cription to:		state

THESE SPECIAL RATES GOOD ONLY WHEN SENT DIRECT TO PUBLISHER!

### J. C. Whitney & Co., Leads Them All! FREE! Just Out!





UISER FENDER SKIRTS



\$12.25 \$12.25 HOLLYWOOD Noise Makes

\$2.95 MANUAL CHOKE ALL CARE WITH

FIBRE GLASS PACKED RACKET BUSTER CO

EXHAUST

\$3.95

WHITNEYECO 1917 Archer Ave. Chicago 16, III.

C-21

"Day-Glo" Fluorescent CRAZY CAR STICKERS

CAMBLLACS MAN MAN 

\$1.96

\$13.24 \$22.95 \$23.95

\$1,00

51.95

BURGLAR ALARM \$2.95













n COLOR CH



\$2.00

### World's Largest Automotive Catalog! Now 308 Pages!

RACING WHEEL DISCS \$2.89 ROCKER ARM

12.00

311.99

35.96 M.94

HANDY ORDER FORM

\$14.95 ELECTRO-PLATING

KITS

\$3.95 5.99

THROTTLE



\$4.50




MAIL TODAY!



1917 (C-21) Archer Ave., Chicago 16, IIL 🚆

I Enclose Check is Morein Onder 5 to cover powered in 1-dil for 29th deposit in C.O.D. Premie do not send currency or observa-20013. WE PAY POSTAGE on a fewer working Premierate when po-marked POSTPAID If C.O.D. rader, preclaim at least 21th, deviced your believes by its religioning Colleges used delivery 1.


Address		•		7 Catalog sent Fr	an many state
C:+y			ZoneStone	Cotating used Frontier Chack her Cotating only—5	end 79k
	Quantity	Street Mr.	Description		Price
is televine					
then are					
ction.		$\vdash$			
- 1					



### RADIANT

'48 Merc mill with 296 cubes is bored and stroked, has Weber cam, Jahns pistons, Edelbrock 10:1 hi-compression heads, ports enlarged and polished, and 3 Strombergs on an Edelbrock manifold. Note chrome.

Showpiece rod has 3-inch dropped front axle, with tube shocks on car all the way around; antisway bar helps to stabilize rend. '39 Ford trans is filled to capacity with 26-tooth Zephyrs.








Full complement of important gauges are easy to read by driver sitting in plush upholstered interior. Gold and champagne colored freize and Naugahyde were used.

### ROADSTER

Photos by George Borris



CONTINUED



## RADIANT

Deuce grille chopped 6-inches and special 3-piece hood with louvers to provide air exit grace front of car. '40 Ford hydraulic brakes are used on roadster as are '50 GMC headlights. Nerf bars protect front.

All four wheels were reversed and are chrome plated. Components used were '48 Merc and '54 Buick on front, and '48 Chrysler, '54 Buick on rear wheels. Center section of wheels have extended bullets.



22

CAR CRAFT


Nev ing com out plec frie: sche the

JAN



Rear portion of 6-inch channeled roadster has Pontiac taillights mounted low. Deck is covered with weird stripe work by Jeffries and guarded by tube nerf-bumper. Exhaust pipe tips have been routed downward to keep the exhaust gases from messing up car's finish.

Never to be forgotten in building a show car is the rear trunk compartment. Neatly detailedout luggage carrier features pleat and roll Naugahyde and frieze material, matching color scheme of interior. Gas tank is the raised section of the trunk.





W HATEVER ELSE they may have accomplished, the Bonneville Speed Trials and the National Drags at Oklahoma City in 1958 emphasized with record-breaking performances that blowers for competition hot rods are here to stay. A fellow with any idea of attending these meets in 1959 with the intention of bringing home a trophy had better start playing with a blower setup right now; otherwise, chances are he'll be better off staying home and reading about the events in CAR CRAFT.

Topics of conversation for hot rodders indulging in their favorite sport of bench racing include everything from reground camshafts to rear axle ratios but the one that invariably creates a sensation of excitement unequalled by any of the others is anything to do with blowers. Superchargers, the more technical term for blowers, have had this magical effect on performance-minded drivers almost since the beginning of the automobile.

From the terrific interest hot rodders show in superchargers it would seem that there would be more activity with them. Although blowers have been used as standard equipment for short periods of time on a few makes of automobiles and there has been a small group of blower advocates in the hot rod group that has been working with them for years, only during the last two or three years have they become sufficiently popular to form a genuine threat to normally-aspirated engines. Much of the recent popularity is due to the availability of blower adaptor kits now being made by several companies. Some of

Speed records fall as blower equipped dragsters and streamliners prove supercharging theory

### BY DON FRANCISCO

Photos by Rickman, D'Olivo


these companies are the Cragar Equipment Co., Latham Manufacturing Co., McCulloch Motors Corp., Potvin Engineering, and Tom Beatty Automotive Engineering. These kits have made it possible for any interested person to install a blower on his engine in the same manner he would install any other piece of holt-on equipment

One of the things that have held superchargers back is that a certain amount of rechnical know-how is required to make an engine fitted with one of them perform as it should and stay together. Combustion pressures in a supercharged engine are so much higher than those in a normally-aspirated engine that it becomes absolutely imperative for the engine to have sturdy pistons, be correctly assembled, and be tuned correctly if it is to withstand these pressures successfully and gain full advantage from the blower.

The big step to a supercharger is the normal one for a hot rodder to take after he has achieved all he can with more conventional engine conversion methods. This is especially true of competition events in which chemical superchargers, such as nitromethane, are banned by rules. In fact, the NHRA ultimatum that only gasoline be used at their meets gave supercharging for competition engines the biggest boost it has ever had. The primary purpose of the ultimatum was to


CONTINUED

GMC blower fitted with Hilborn fuel injector on Cadillac ohv engine. Blower is driven by a single-row roller chain of the type used on motorcycles. There's no slippage in a drive of this type.



### BLOWERS MAKE WINNERS

This is an exceptionally clean GMC blower installation on an Olds engine. The blower installation kit was made by Tom Beatty Automotive Engineering Co. Carburetion for blower is provided by dual four-throat carburetors made for a Pontiac.



of o

pui

dev nati pos me gas star exp

bur

tur

Chi

dra

race

equalth eng



This is one of the more popular GMC blower installations. The blower is mounted on a Potvin adaptor that enables it to be driven at crankshaft speed. The installation is of the "closed-face" type that uses Hillborn injector nozzles in the intake manifolds and throttle valves on the inlet side of blower. Manifolds and outlet housing are aluminum.

make drag racing safer by reducing the speeds of dragsters to keep them within a safe range for the many drag strips in use. A secondary purpose was to further the mechanical development of competition engines by eliminating the tremendous horsepower boosts possible with the wizardry of chemistry. Immediate drops in speeds were noticed after the gas ruling went into effect but the speeds soon started to rise as fellows began installing and experimenting with blowers. At this time the highest quarter-mile speed for a gasoline burning car is 159.01 mph. This speed was turned by Tom Ivo driving his GMC-blown Chrysler engined dragster at the L.A.D.S. drag strip at Long Beach, Califorinia.

There is some controversey among drag racers as to the pros and cons of blowerequipped dragsters. One faction believes that although a dragster with a supercharged engine has a chance of reaching a higher top speed in a quarter-mile than an unblown car, the unblown car will travel the distance with a lower elapsed time. (This was not borne out at the '58 National Drags. The car that had the lowest ET of the meet, plus the highest speed for cars powered by automotive engines, had a GMC-blown Chrysler engine). Their reasoning for this is that a blown car must necessarily be heavier than an unblown one, due to the weight of the blower and its adaptor, and that the car with the blown engine is harder to drive off the line due to its less sensitive throttle response.

Weight is a critical factor in any drag car, especially dragsters, and it is entirely possible that the weight of a blower and its related equipment could be just enough to tip the clock in favor of a car that isn't penalized with this extra baggage. However, this is drawing the line quite fine and if such a thing is true we may be reaching the point where

CONTINUED



Tom Beatty's Olds powered lakester runs a 6-71 GMC blower mounted on a manifold and driven by parts designed and manufactured by Beatty. With this setup blower is driven by 12 V belts. Car set new Lakester record at 232 mph.

a dragster may require a specially bred flyweight throttle stomper if it is to have a chance with the competition.

The problem of getting off the line with a blown car as quickly as with one that is unblown because of lack of throttle sensitivity is due to the fact that the blowers now in use don't start to boost manifold pressure until the speed of rotation of the engine's crankshaft reaches a point considerably higher than it is turning for possibly the first third of the way to the finish line. During this time the engine is breathing through the blower and its duct work and this isn't conducive to good carburetion. The car gets under way in good shape when the blower begins to make itself felt but by that time an unblown competitor could be so far ahead that although the blown car reaches a higher top speed due to its better acceleration over the last two-thirds of the course, the unblown car could beat it to the finish line. These are the theories and in many instances they seem to bear out.

To gain full advantage of a blower installation for drag use it would seem logical to devise some means of running the engine from the starting line to the final light at a speed high enough that would enable the blower to be working all the time. This would require slippage somewhere in the car's driveline between the engine's flywheel and the surface of the strip that would enable the engine to run fast enough for the blower to work but still exert maximum forward acceleration on the car. Certain aspects of this problem aren't new to the automotive industry; for many years they have been the basis of the industry's work on automatic transmissions.

dis

wh

ev

of

the

for

res

wl

CE

re

We

Wi

th

gi

CI

to

21

tit

tic

co

ca

fo

sto m al

th

or we confa

li

g

R

d


tì

b

si ei tl

Automobile manufacturers have tried to solve the engine speed to car speed problem with hydraulic torque convertors but nothing they have built would be suitable for use in a dragster. This leaves two other possibilities. One of these is to rely on clutch slippage, which would tend to shorten the life of the clutch, even if it were one of the new twin-





ABOVE • A POVIN GMC blower installation on a Cadillac engine. This installation utilizes intake manifolds of the pre-fab type that were supplied in all early Potvin kits. LEFT • Three aircraft updraft carburetors used on the blower shown above. These carburetors provide in excess of ten square inches of venturi.

CAR CRAFT

disc types, and the other is to depend on wheel spin. Wheel spin is the method being eve-balled at the present time by the owners of many drag cars. The method used to gain the slippage is that of moving the engine forward in the frame to take some of its weight off the car's rear wheels. This is a reversal from conventional dragster practice, which requires as great a percentage of a car's weight as possible to be carried by its rear wheels. With an ideal combination of weight on the rear wheels, driving tire tread width, tire inflation pressure, clutch action, and driver ability, controlled slippage and the greater horsepower developed by the engine in a blown dragster should enable the car to consistently establish not only higher top speeds than that of unblown cars, but also to go the distance in lower elapsed times. However, achieving an ideal combination of the many factors required for the correct amount of slippage may not be much easier than the so far unsuccessful effort to orbit a rocket around the moon.

in-

rical

zine

t at

the

the

neel

enthe

for-

ects

the

atic

to

em

ing

in

es.

the

in-

ıl-

1e

H

ft

21

T


The driver of a dragster hasn't any time for goofing off from the time the starter drops the flag to the time he gets his car stopped but I'm afraid his job will be even more difficult as wheel spin is increased. It is almost impossible to get two tires to grip the surface of a strip exactly the same, and the tire that is getting the best bite is the one that determines the direction the car will want to follow. Fortunately, under most conditions the tires share the driving effort fairly evenly, enabling a good driver to usually keep his car traveling straight. But occasionally a car does get sideways coming off the starting line and, until drivers learn to cope with the greater loss of traction, this may be seen more frequently as wheel spin

At Bonneville a different condition exists for blown cars. Traction is still a problem but the problem differs from that for dragging in that the traction must be maintained at high car speeds instead of off the starting line. There is plenty of room in which to get the car under way. This eliminates any adverse condition that might arise from poor throttle response at low speeds and enables the brute horsepower made possible by a blower to be used to full advantage.

The really fast cars at Bonneville now are streamliners that are fitted with two or more engines. However, it is interesting to note that the record for these streamliners, which



McCulloch blower on a Chrysler engine. The blower supplies air under pressure to a standard Hilborn injector by means of a fabricated steel box that has separated openings for each of the inlets.



Another GMC installation but this one is on a flathead Mercury engine. Drive for this blower is five V belts and carburetion is by six two-throat Stromberg carburetors with a separate fuel line each.

was established in 1958 by Mickey Thompson in a car with two Chrysler engines, is, at 266.866 mph, less than 29 mph faster than Tom Beatty's lakester record of 232.987 mph established with an open-wheeled car with a belly tank body driven by a single supercharged Olds. Also, Thompson's car had a four-wheel drive chassis that no doubt gave it an edge on traction.

Something that would seem to make a blower desirable for Bonneville is the 4200-foot altitude of the salt flats. At this altitude a normally-aspirated engine loses approximately 14 percent of its sea level horsepower. With a 300 horsepower engine this amounts to 42 horsepower. Losses of this magnitude can cost a car several mph in top speed.

A necessary prerequisite for a budding hot rodder is a greater than average share of mechanical ingenuity in his makeup. The results of this ingenuity were clearly apparent in the many different blower installations seen at the National Drags and Bonneville. Most of the installations were made with kits available from the companies mentioned previously but in nearly all instances the hot rodder had changed some part of the installation to make it conform to his ideas. Many of the blown engines didn't run as well as they should have but it's not a secret that it takes a lot more time to learn how to tune a blown engine than it does to install the blower. But some of the also-rans at the '58 events may be the boys who shut down the competition in '59.

sha

dri

sett

blo

blo

Sar

CAP

if a

rea

cra

Th

resi

cra

ma

gin

wei

blo

and


Th co Ch did dr sp blo

air

Blowers seen at Bonneville and the Drag represented the complete line of those readily available at the present time. GMC units of all sizes formed an overwhelming majority but there were also McCulloch and Latham units to be seen. Those of the GMC variety were fairly well divided between installations mounted ahead of the engine and driven directly by the crankshaft and installations on top of the engine and driven by V-belts, timing belts, or by roller chains.

Mounting a GMC blower in front of the engine and driving it directly by the crank-

### BLOWERS MAKE WINNERS



Another positive type of drive is provided by a "timing belt." Timing belts are of rubber and steel construction and they have rectangular teeth on their drive side that mesh with grooves in the drive and driven pulley. An idler pulley is used to keep the belt tight. This GMC blower is fitted with a fuel and air metering injector made by Hilborn.

shaft provides the advantage of a positive driving means that doesn't slip, but such a semp has the disadvantage of limiting the blower's speed to crankshaft speed. Limiting blower speed in this manner makes it necescary to use a blower that has a large output capacity in relation to the size of the engine if adequate manifold pressure boost is to be realized. A blower mounted on top of the engine and driven by belts or a chain can be driven at any desired speed in relation to crankshaft speed by using driving and driven pulleys or sprockets of the correct diameters. This enables a small blower to give the same results as a larger direct-driven blower, or for a larger blower to become effective at lower crankshaft speeds and to deliver a higher maximum manifold pressure boost to the engine at high engine speeds than it could if it were operated at crankshaft speed.

oned hot

talla

Many

11 25

at it

tune

'58

the

ram

dily

s of

brity ham

riety

ions

ions

elts,

the

The disadvantage of a V-belt drive on a blower capable of high boost pressure is that the life of the belts is comparatively short and there is a good chance that the blower's output will be restricted by belt slippage. Under some conditions timing belts and chains can be harmful to a blower simply because they don't have any slippage. Some degree of flexibility between the crankshaft and the blower's driven shaft is desirable during rapid engine acceleration and deceleration so the gears and other moving parts in the blower will not be damaged by inertia forces when sudden changes are made in their speed of rotation. This is not as important with a direct-drive blower because its speed of rotation in relation to the crankshaft is considerably less than with belt or chain-diven setups.

Fuel was fed to engines fitted with GMC blowers through many different arrangements. Blowers mounted on top of their engine had either multiple carburetors or Hilborn injectors that bolted to their inlet side. Those mounted on Potvin and other direct-drive adaptors were fitted with three different types of carburetion systems. One of these was

continued on page 76



Two McCulloch blowers connected in parallel, as on this engine, double the quantity of air delivered to the engine. If the blowers were connected in series, as in two-stage setups, the pressure of the air, instead of the quantity, would be increased. Blowers feed two carburetors of type used on Fords.


The high drive ratio of the compact Latham blower on this Chevy V8 is indicated by large diameter drive pulley and small driven pulley. High impeller speeds are important in this type blower to enable it to pump the air necessary for big engines.




7

# ELECTRIC WINDOW LIFTS for all cars

**ACCESSORY OF THE MONTH** 




IF SOMEONE TOLD you that power windows for your car were only as far away as your nearest automotive accessory store—you would more than likely cast a doubtful look in his direction. Then when he added that all this luxury could be had for the inexpensive price of thirty-five dollars—you'd know that the men in the white suits were not too far off. But the facts are true. The AMT Corporation has just released a revolutionary self-contained power unit for converting manually operated windows to electrically operated windows in one easy step. The power window-lifts, universal and smartly designed, can be adapted to any model within an hour's time, The installation, merely a bolt-on procedure, proves such an easy task that even the door paneling is left undisturbed. After removing the standard handle cranks, the power units are slipped onto the window crank's shaft, secured by means of specially designed clips, then wire neatly routed to electrical connections. The power-lifts are available for either 6 or 12 volt electrical system; specify when ordering. For further information write: AMT Corporation, 200-cc Briggs Building, Birmingham, Michigan.



1. Window-lifts come ready to install with full instructions for wiring. Price \$35.50.



2. After removing handle cranks it's a good idea to trim rough edges of opening.




3. Nylon ball adapter is installed. Make sure that serrations on shaft/crank match.



4. Power unit is now slipped into position and attachment holes marked, then drilled.

## **ELECTRIC WINDOW LIFTS**



5. Wiring is fed through shaft's opening, then strung along hinge and up to dash.



Power unit is now secured to door with specially designed clips furnished in kit.



7. Buttoning up the unit consists of wiring, then adapting the attractive cover shield.




8. Driver's unit features dual controls while the passenger side has a single button.

le n.



# CORVETTE GLAMOUR

OWNER
Bob McNulty
BUILDER
Owner



Outward sweeping fins are formed of fiberglass and contain handmade red Lucite lenses. Car receives sparkle from Moon discs, lakes pipes and nerf-bar type bumper separated by chrome accessory knobs. Bob has taken home five first place trophies from auto shows.

36

CAR CRAFT

Side minu air-s

JANL




Bob McNulty bought his '55 Corvette in a wrecked condition for \$600 and by doing all the work himself rebuilt the car to its present immaculate shape for \$500. Grille consists of Corvette "teeth" and chrome spinners mounted neatly in the extended nose section.



Photos by Frank Faraone





Side vents and hood were made from aluminum so they could be louvered. Slit-type air-scoops allow more air to the engine.

JANUARY, 1959


CONTINUED

#### CORVETTE GLAMOUR

OWNER
Darol Jorgensen
BUILDER
Owner



Pleat and roll interior was done in white Naugahyde with red beading by Darol's mother. Floor rugs are done in contrasting red with white trim. "Glitter" covers dash.











Front fenders are extended to provide "shades" for '58 Ford quad headlights, mounted vertically. Mesh grille also came from a '58 Ford. Stock scoops atop fenders were dressed up with trim "teeth." '55 Oldsmobile taillight lenses are frenched into rear fenders. Finding still another use for the versatile Buick portholes, Darol mounted them in the lower edge of the rear fenders to accommodate back-up lights. Hubcaps are '55 Dodge Lancers.





CORVETTE GLAMOUR

OWNER
Al Gratz
BUILDER
Gratz Body Shop



Al Gratz, who owns his own body shop in Fort Wayne, Indiana, rebuilt this Corvette from a total wreck—incorporating a few ideas of his own. Fiberglass was used.

Most radical change was in the rear section where large fins were formed, starting in the door panels and rising rearward. Taillights and back-up lights are '57 Plymouth.



Photos by George Barris

# CORVETTE GLAMOUR

OWNER Bob Caldwell


BUILDER Hoeck Chevrolet

Photos by Bud Lang

Distinctively different grille appearance was achieved by working with only stock components. Original grille shell has been molded to the fiberglass body, with an extension lip of four inches added; the lip is slanted forward and downward. Grille bar and teeth are stock.








Corvette was up-dated to '58 by addition of air scoops in doors which are functional.

Clever custom trick is the mounting of late model Buick portholes in staggered position.



JANUARY, 1959

CONTINUED






Headlights were given the custom touch be a french job. The lights are hooded and under the however the house head on six-inch extended in fenders. Smooth fiberglass customizing ward performed by owner and Hoeck Chevrolet




Long hoods reaching a total of 16-inches iter length were molded to the rear fenders be add a completely different look to the Covere vette. Taillights remain in stock position on





uch by damil unnecessary body trim was given the "deep six" and holes neatly plugged with tendenin soaked glass patches. Restyling a Corvette can really be turned into a back ig want project due to fiberglass body which can be worked over with a minimum amount vrolet tools and a basic understanding of "do's and don'ts" of fiberglass fabrication.

hes interior of crazy Corvette was left in its original race-bred design. The exterior of ers the fiberglass fantasy is black and gold lacquer. Speedster, in full street trim, has Corpeamed through the quarter mile at 107 miles per hour. Caldwell spent a total of four ition on this spare time of "many hours, lots of sweat and a few bucks" customizing his car.



FANUARY, 1959

CONTINUED



OWNER
Rudy Valentino
BUILDER
Bruno Custom



Rear blinkers were junked in favor of 194 Ford lights which were installed vertical and frenched-in. Fenders were extend to fit the units. Overall contour was a changed radically, but just enough to let it a custom appearance. Note workmanship

Se fe

C



Able to get the job done, very well indeed, is a full race G.M.C. engine which fits very neatly in engine compartment of Corvette built by Rudy Valentino of San Fernando.








Scoops were built into the sides of the front fenders, hood, and alongside grille cavity. Grille is handmade of one-inch "U" channel bars with parking lights added to ends.

19

The stock headlights were changed by first removing the wire screen which covers the opening and then chroming the inner flange which leads into the headlight unit itself.

Photos by George Barris

Color combination of cool Corvette is carried out in gold and black enamel paint. Interior is stock, but roadster has a full tonneau cover for the cockpit. Accessory hubcaps with bullets, short lakes plugs mounted just before rear wheels and whitewalls add to beauty.





#### CORVETTE GLAMOUR

OWNER
Jerry Earl


BUILDER General Motors







Tail section has pointed fin molded to the deck. Taillights were the first of the units which later became stock items, Magnesium racing wheels are used on Earl's Corvette,



Functional air scoop was built into the door panels and serves to direct cooling air to the brakes. Teeth lead into scoop. Concave fender section was built of aluminum sheet.



Plastic covering for headlights add much to the streamlining of the Corvette; they are removed for street use. Parking lights are special units that are taped for racing.

# with a torch

New York enthusiast creates sports

custom from forty-eight Bulck



Stock '48 Buick fenders were mated with '55 Chevy headlight rims and  $5 \frac{1}{2}$  inch sectioned buick convertible; further lowering was achieved by channeling the roadster another 7 inches it is Grille is composed of a '48 Buick outer shell without wording, and '56 Dodge truck bar lights

# GENIE with a torch



Photos by Xenophon Beak




Olds steering wheel and instrument cluster are used, as is custom-made dash. Red and white pleat and roll Naugahyde covers seat.


CAR CRAFTANUA

sistening with chrome, '50 Olds agine features milled heads, at and relieve job, .125 overare, hot ignition, 4-barrel carb, and made header and exhaust stem. Every component which wild be removed was given chrome "dip" treatment and stationary parts are painted the spotless compartment. The diator is 1948 Studebaker.



ed wick parts show up well in rear view. Deck is made from Hudson Terraplane, continental es, tit is handmade on 22" shortened car. Stock '48 Buick fenders are retained. Pontiac stop ar, lights can be barely seen on deck. Chuck Durso required 3 years to build his creation.





# BARRIS KUSTOM RESTYLES THE '59 CHEVROLET

EACH YEAR THE public anxiously awaits the introduction of the new model cars. When they are finally put on display, they are met with varying degrees of acceptance. Comments ranging from "absolutely beautiful," to "boy did they goof" can be heard circulating around the showroom floor.

Customizers look at them differently. If they don't agree with a particular styling feature, they figure out a way that it can be improved upon. Sometimes it amounts to a radical restyling job, but more often it can be corrected with a mild changing of components.

This month, we had George Barris take a



George Barris

80

uti

the

on

sca

fe





look at the '59 Chevrolet Impala Sport Sedan. What he saw, he liked, but felt that a few thanges were in order nonetheless.

#### **BODY MODIFICATIONS**

Aside from a moderate lowering job of two inches, George left the body in stock condition. The styling on the new Chevy utilizes a new top with plenty of glass area. Practically maximum visibility is a feature on the Impala. The rear fender treatment relies on the famed finned look with a taste of sculptured styling thrown in. Another nice feature of the Chev is the "almost-but-not-


quite" matching of the front and rear wheel wells. This helps balance the appearance.

#### FRONTAL CHANGES

The front end received its share of modifications. The first step was the removal of all chrome trim from the hood and fenders. The fenders were then peaked while the open expanse separating the hood and the grille shell was filled in. Frenching the headlights was the next step. Stealing a neat little trick from owners of earlier Chevys, George added extra teeth to the grille after removing the chrome backdrop. A rolled body pan was next

JANUARY, 1959

CONTINUED




# RESTYLING THE '59 CHEVROLET

in line for the Impala. Protecting the pan which is molded to the body is a set of two bumper bars constructed of three-inch "U" tubes. The front license plate, frenched in, has been centered between the tubular bars.

#### REAR ASPECT

Chromed parts not necessary for the design on the sedan were given the "heave-ho" and the holes filled. The rear body pan was rolled in accordance with the pan modification forward. Again, a balance between the front and the rear was achieved by the addition of the dual bumper bars. Between the bumpers is a frenched opening with four exhaust pipes protruding. This seems to be one of the latest fads. Directly above this is the stock position for the license plate. This was frenched-in me smooth the opening. The taillights were discarded, as George felt that a combination of '58 Olds taillight lenses, clear back-up lenses, and '59 Cadillac taillights would lend themselves more distinctively to the rear section. Chevy's fin style works itself into a "dip" '59 which culminates on the rear deck lid. George



discarded the bordering chrome pieces and arest molded in all seams.

#### DETAIL

ition

n w

The paint chosen for the Impala would be direct up to the owner, but George feels that either a solid paint job or a two-tone with the top in a lighter color would lend themselves extremely well on the '59 Sport Sedan.

There you have it, the first restyling of a dip" '59 car. Next month we will follow it up with orge a customized 1959 Ford. See you then?

#### PARTS AND PRICE LIST

	LABOR (Parts included)
French headlights	\$ 90.00
Rework grille	35.00
Fill front vents	40.00
Shave hood, deck lid, fenders	27.00
Round hood corners	20.00
Build and french taillights	100.00
Roll pans front and rear	220.00
Build bumpers front and rear	170.00
French front and rear license	70.00
Mount four exhaust tips	40.00
Lower car	12.00
Paint (complete)	175.00
· TOAI	\$999.00



Photos by Fred Beindorff, Pot Brollie

By Jim Gilbert

WHEN FIRST INTRODUCED, go karts consisted of only the barest of essentials to make them an inexpensive "fun" car. With simple frame construction, solid axles fore and aft, basic steering, and small sized engines, the karts amply fulfilled their chief goal.

But that was vesterday. Today the karts are in an experimental construction stage with many of the enthusiasts striving constantly to improve the cars by making them hotter and faster. True, the smallbore karts which fit into the "A" and "B" classes of competition categories do not require high speed chassis modifications found in the big engined league. They can compete with karts of equal size on even terms practically as they roll from the showroom floor. The truly experimental cars are those of the "C" division (11.01-16.5 cubic inches) where speeds of 50-60 miles per hour are not uncommon. To compensate for this performance, the handling characteristics and chassis designs are being hit from every angle to increase their capabilities.

Lowering the center of gravity by stepping the frame was one of the first steps. Sprung

suspension systems and improved steering setups are being designed to allow the "hot ones' to negotiate the corners and turn faster. Sides are added to the cockpit area to provide more comfort and maneuverability of the drivet. Facilitating quick and positive braking, motorcycle binders are being installed as standard equipment for the miniature speedsters. The original two-cycle engine, although still very popular, is being swapped for small displace ment motorcycle powerplants, multi-engine installations, and drone-plane mills to give more torque and acceleration. Safety is not overlooked, either. Although not as advanced as it could be, some karts do have protective shields and bulkheads perchance an engine should blow or a driving chain should let fly.

All in all, the karts are accomplishing what you they started out to do — providing a low cost safe, and casual automobile competition, while tent at the same time allowing experimental designs to flourish in an effort to further enrich the karting sport.

On the next few pages are the epitome of the go karts - the "HOT ONES."



# "Hot Karts"


Radical modifications in power and performance are bred into the experimental "formula K" racing karts



Drone-plane engined kart of Don Boberick features 16.5 cubic inch 2-cycle engine putting out 7 h.p. Tube frame construction has basic steering, dropped front axle, and sides added to rails for comfort. Heavy upholstery is also a standout feature.

ctive anition and carburetion systems gint were built from scratch, as was a fly he cooling shroud and 8-pound what tywheel. Frame has been slung cost beneath rear axle, lowering the thile enter of gravity for handling.

CONTINUED



ANUARY, 1959

give not

rich

e of

AFI

## "Hot Karts"

Checking out finer details on the "Wasp," an experimental competition kart built by "Bug" Engineering Co., are Tom Pearson, "Bug" manufacturer, left, and Car Craft editor Dick Day. Several companies are in process of developing new types of karts.




Braking from speeds up to 60 mph for fast cornering, binders must be positive, fade-free. Builders are solving problem by adapting complete assemblie from imported motorcycles. "Wasp" design uses Triumph motorcycle brakes on both sides.

Dick Geer, head engineer for "Bug," and builder of prototype "Wasp," employed drag link type steering, deeply stepped frame design which lowers center of gravity. Steering assembly and axles are weldless.







Dual-engined installation on racing kart produces over 12 horsepower. Special Clinton engines are used to power the test model. Throttle linkage is constructed of small round rod. Slick tires are used for maximum traction on the asphalt tracks.



nother radically designed car features latest race-bred kart construction. Chromelely tube frame tapers to front, yet the wheel tread remains the same both fore and aft. Beating is at center in bucket design padded with thick rolled and pleated upholstery.



Steering shaft is adjustable to allow correction for end play. All moving parts, including the tie rod ends, have grease fittings which permit maximum life for parts. Front axle has been dropped severely to improve handling in the turns. Pedals work brake and gas and are connected by large diameter rods.



cks. wo-stroke Power Products engines produce seven horsepower each at 10,500 revs per inute. Dual mills are run on fuel mixture and drive kart through 4.80 gear ratio to p speed in the high fifties. Production is slated for this kart by builder Beindorff.

o 60 nders free. m by nblies cles.

ımn


ides

entest conod.


# "Hot Karts"




The "hot ones" maneuver corners at top speeds. Driving techniques vary; some driver carry corners wide retaining rpms, others with more low end torque take to the "pole. For this high speed action, cars must possess the best in brakes, steering, and traction



One of the hottest karts competing today is Gill Horstman, potent Excelsior powered race. Twin cylinder two-stroke engine possesses 15 cubic inches which whips car around at 60 mph Full floating axle, brakes an sprocket assembly were pirate from utility motor scooter. Husk stabilizer bar minimizes twisting of frame and axle at high speed.



Twelve inch slicks are used both fore and aft for maximum traction. Direct steering is featured with cables actuating international brakes and throttle. Cockpit employs side rails, almost a necessity at speed karts travel



tadical approach to lightweight kart construction can be found in Nick Nicholson's 

pet low-slung speedster. Front axle, machined from dural billet, is so designed that tapered 

tan' same tubes slip thru axle at lowest point and are secured with wedged pins. Ground 

acet bearance is one inch up front rising to two inches at rear. Drag link steering featured.

and unch for Nick's miniature bomb is in form of 12 cubic inch Villiers two-stroke engine.

ale time rails are routed under the rear axle. Rear corners of frame are fused together

using the special steel caps. Size twelve slicks are used for tread in the front and the back.



hid


## "Hot Karts"



Due to minimum weight and small size, the go kart racer soon finds himself on his head he doesn't conform with standard practice of applying radical "body english" in turns wh traveling at a brisk clip. Body english balance is a proven motorcycle competition sty




Bob Canaan is the first man of the scene with a full sprui front suspension system. Asserbly consists of  $V_4$  midget fro axle, special made leaf sprii stabilized with short radius ratied to small frame pads. Fram stepped spring perch and steing are other unique items of playing Canaan's profession craftsmanship. Well designed a proves a real handler on coun




64

CAR CRA




he of the most highly successful of all of the competition karts is the "Mole" built nd owned by Duffy Livingston, noted sports car racer and part-owner of the Go Kart Co. hopped front axle lowers the forward end of tube chassis. Steering is of basic design.



Motivation for "Mole" is combo of one 6.45 cubic inch Westbend mill and one 5.10 cubic inch Westbend which together can propel kart to speeds in excess of 50 mph. Gas tank made of 2 flywheel covers spliced together.

Plush bucket comfort is feature of the "Mole." Frame is stepped at center similar to most of the hot karts. Dual brakes, just inboard of drive sprockets, are from popular James lightweight motorcycle. Tread is 12" slicks.





CONTINUED

# "Hot Karts"

In search for additional horsepower for his small bore 750 McCullough engine, Bill Jefferies came up with this home-built injector. Car is consistent winner in its class "A" division.

Spence Murray's answer to the horsepower race was adapting of three engines. Triple installation of 750 Westbend engines necessitated widening axle. Left side and center powerplants are driven in unison; right wheel is driven by other engine. Brake is early model Cushman scooter. Murray, Rod and Custom editor, is devoted fan of kart racing.





# NOW MORE Bite by Bruce's

## New Concave 1/4 Midget Slicks!

Now, 1/4 midget racers get all the bite that Bruce's new 1959 concave gicks give the big racers! Bruce's micro midget slicks are exact, amali-size versions of Bruce's improved concave drag slicks. You get up to 15% more bite with the '59 Bruce slicks — BIG OR LITTLE!



#### VIC HUBBARD OFFERS ONLY THE BEST!

PECIAL STROKER PRICES, Get a quarter-inch groker, designed specifically for Vic Hubbard, for mly \$245. Lightened shaft, no piates to balance, sainless ateel rings. Venolia piatons, completely alanced. %—inch stroker, \$285. ½—inch stroker, \$155. (\$25 core charge on cranks and rods). %—inch stroker for flatheads, with reground crank, all new parts, balanced and pins fitted, \$135. ELIMINATOR ALUMINUM PISTONS. Vic Hebbard's new low, low priced Eliminator forged aluminum pistons have 70% greater strength, faster heat dissipation. Pour-inch Chevy V8 pistons now ready in 4. 3a and ½ inch and stock atrokes. (Pistons for other bores ready soon). List price. \$100 complete. Available with Vic Hubbard stroker kits for only \$15 extra.

#### THE MOST COMPLETE LINE OF SPEED EQUIPMENT

Only factory distributor for Bruce Slicks and Algon Fuel Injectors Dealer inquiries invited

### VIC HUBBARD

21032 Meekland, Hayward 12, Calif. LUcerne 1-6421 • Elgin 1-8455

#### IT'S TOUGH TO BEAT A TUFF CART



OLLYWOOD MIDGET CARS

2280 W. COLORADO BLVD., C-1 LOS ANGELES 41, CALIFORNIA



Complete with Twin Carbon Arc Torch and accessories . . . to handle all metalcraft work stock, not rod and customizing enthusiasts as the welder of 1001 uses. Easily operated from properly wired 110 volt AC or DC line. The ideal gift with a life-long use. Order today on 10-day money back guyrantee.

Literature on larger equipment on request FOUR-WAY WELDER COMPANY

1810 S. Federal St., Chicago 16, Illinois, Dept. F-69-A

## THE CART YOU SIT IN Latest Deluxe Model

# COOL CART



#### COMPARE BEFORE YOU BUY!

Only the Cool Cart offers a choice of 3 h.p. Briggs & Stratton or 2 h.p. Continental 4 cycle engine, positive spot brake, automatic clutch and pneumatic tires.

This cart is completely engineered and tested to handle adults with ease. Push starts not required.

For competition or touring you can't buy a finer cart.

FULLY ASSEMBLED, PAINTED AND READY TO RUN

\$16450

Send self addressed stamped envelope for free literature ORDER YOURS TODAY AND GET SOME FUN OUT OF LIFE!

Send 25% with C.O.D.'s and add \$5.00 crating charge or send full amount and save C.O.D. fee and crating charge. Add 4% sales tax in California.

#### REED ENGINEERING

-2054 W. Slauson Ave., CC-1

Los Angeles 47, Calif. AX. 2-2466

# WHAT'S YOUR



TOO MUCH OF NOTHING

Dear Don:

I have a 1955 Ford V8 that is in goo condition but it doesn't perform well enoug to suit me. It has a two-throat carburetor as I have a chance to get a four-throat manifold and Stromberg carburetor in trade for manifold and carburetor and a few dollar I think the four-throat setup would make m car perform quite a bit better but I heat that the ignition distributor on my car can be used with a carburetor of this type. We couldn't I just connect the vacuum line from my distributor to the vacuum fitting on the Stromberg carburetor?

- Ken Cartwright Salt Lake City, Utah

What you've heard is right, Ken, As far as the vacuum requirements are concerned, ignitic distributors on 1955 Fords are considered different from those used with Stromberg for throat carburetors. The entire spark advant range of the distributor on your engine is previded by the distributor's vacuum diaphrags. The vacuum diaphrags ment of the vacuum diaphrags and the Stromberg carburetor provides supplementary advance in addition to advant provided by governor weights in the distributor this additional advance comes into effect on under conditions of high intake manifold vacuum. Its purpose is to improve the engine fuel mileage.

Vacuum for the Ford distributor originates in the carburetor itself and it is created by the velocity of the air flowing through the carburetor's venturis. The magnitude of this vacuul varies for the different engine models but the most of them it reaches a maximum somewhere

ON SALE NOW?



# 1959 HOT ANNUAL ROD

**RODS • CUSTOMS • DRAGSTERS • LAKESTERS** 

This year's edition of this ever-popular favorite is a "Space Age Special." The accent is on years-ahead thinking in hot rodding, from George Barris' futuristic "World's Most Beautiful Roadsters" to the Space Age Rod Roundup, a photo gallery of the sharpest hot rods in America. And blasting off with plenty of rocket-paced reading are such aces as Huntington, Navarro, Francisco, Potter and many other stars in the hot rod galaxy, who bring you features like High-Performance Competition Engines, Hottest Cars of the Year, Racing Tire Problems and The Cost of Hot Rodding Your Engine.

ONLY To AT YOUR NEWSSTAND!

(Or mail this coupon today!)

noug or an nifol or m ollar ke m

Wi from

nitie

fou

van

pr

Send me I enclose 85¢	copies 19	59 HOT	ROD	lif.
NAMB				_
CITY		70115	***	

#### **GOONEY KART**

LIGHTER - FASTER!



## THE 3-WHEEL KART DESIGNED FOR HIGH-SPEED STABILITY!

READY TO RUN (Including Swift Red Paint Job)

> \$150.00 F. O. B. GLENDALE

DEALER INQUIRIES INVITED

#### RISS SALES

1275 ELM AVE., Dept. CC-1 GLENDALE 1, CALIF.

#### ANOTHER MOSS FIRST!

Aluminum wheel with honeycomb webbing



#### for GAS CARTS, QUARTER MIDGETS, HALF MIDGETS

Roll to victory with the Moss "competition wheel." For the first time, here's a wheel that carries the load where the load should be carried, thanks to specially designed webbing. Saves 8 pounds of dragging weight per car. Get 50% more strength. Moss wheels are vacuum cast in a ultra modern pressure mold for maximum durability. 5" and 6" wheels now available, beautifully polished ... complete with aircraft self-locking nuts... knock-off hubs and sealed praction bearings also available.

WHEELS — TIRES — BEARINGS — SLICKS
Write for information to:

#### MOSS MIDJET SALES CORP.

392 E. Beach Ave., Dept. CC-1, Inglewood, California

#### WHAT'S YOUR PROBLEM? continued

between 2 and 4 inchs of mercury. The sufficient vacuum to fully advance the time that the vacuum fitting for the distributed with the Stromberg carbureter is also the carbureter, the vacuum that acts an fitting and the distributor is intake manifeld and the distributor is intake manifeld can be as high as 25 or 26 in of mercury, and only when the engine is ning at wide-open throttle does the vacuum drop below the 2 to 4 inches required to advance a Ford distributor. It can be reseen that a Ford distributor connected to me fold vacuum would be fully advanced all time the engine was running.

The best solution to this problem is to let the four-threat carbureter and then buy a g two-coil ignition distributor with a combind governor and vacuum advance that is design to be used with manifold vacuum.

#### BACK SHAKER

Dear Don:

I have a 1951 Ford two-door sedant seems to ride like a ½-ton pickup. The frend is quite soft but the rear end is rock-in I installed a set of Gabriel Adjustom shock absorbers, set for "soft," and it help but I still can't see any sign of the rear at having hit the rubber bumpers on the fra although I have carried at least 300 pour of cinder block in the trunk on occasion.

Since I usually carry not more than passenger, or a small amount of luggage want to make the ride somewhat softer. I wondering if reducing the spring rate by moving one or more of the leaves from springs is a good idea, and if so, whether could be done and how to go about it.

Lyman de Camp
 Wallingford, Pa.

The usual complaint with Fords such as ye is that the suspension is too soft, not too soft. I suggest you disconnect the rear shock abselowers and, with the rear whels resting on ground, bounce the rear end of the car up MET down. With the shocks disconnected the end should bounce quite freely; if it does there is something wrong with the springs.

Rear springs used on these cars are fittily with anti-squeak inserts that are retained is, or recesses formed in the spring leaves near their ends. During normal wear these inserts with and allow metal to metal contact between to cleaves. If this condition were allowed to stinue it would be possible for the tension of

s al

CICUUM

26 im

ne is i

9 VO

d to

to m

d all

to in

y a : nbine

desig

dan

The fr ock-h sto-n it hel

ear at e fn pot

sion. han ggag

er. I

e by rom nethe t.

DIS Y

too i

e Al

as the CHAMPION RACERS go

install this Special English RACING

ARBURETOR on your Continental AUTR or AU8R

alse MANIFOLD \$5.50 GAM (exchange) \$20.00 M (buy outright) \$25.00

- . GREATER ACCELERATION
- . NEEDLE-TYPE CARBURETION USED ON RACING ENGINES FOR YEARS
- . JETS READILY AVAILABLE
- · EASY TO INSTALL AND ADJUST
- . MAKES POSSIBLE COMPLETE FUEL ATOMIZATION

CARBURETOR AND CABLE \$21.75



DEALER INQUIRIES INVITED

DEPT. CC-1, 218 Main St., Venice, Calif. EX 6-7722

/EBCO, INC. Send for free brochure listing other famous Webco speed equipment.

JUST OFF THE PRESS - OUR FREE BROCHURE

# percharging Can Be Practical'

WRITE FOR IT TODAY

## XTON PRODUCTS

929 OLYMPIC BLVD., SANTA MONICA, CALIFORNIA SOLE DISTRIBUTORS OF McCULLOCH SUPERCHARGERS

new dimension in O-STER

HTI EXCLUSIVE DIMENSION-EQUALIZER

abs 0W - you can have STEREOPHONIC effect in on i er car - with AUTO-STEREO and its amazing MENSION-EQUALIZER, It's like having expenthe a HI-FI built in yet all you need to do is ngs. Tuip your present car radio with the economical,

sily-installed AUTO-STEREO. Kit includes dimension equalined tr, control panel, Hi-Fi speaker and grille with complete instructions.

ar thecity year and make of car . Dealer inquiries invited is WIND FOR YOUR AUTO-STEREO TODAY ONLY seen COCHURE SENT ON REQUEST

Send cash, check, or money order to

nottuto-Steres BOX 2531 . CC-1 . LONG BEACH, CALIF.

TIMHUARY, 1959

71



track . . . Including the latest cus-tomizing accessories, parts, hi-speed and power equipment.

Get this all-new edition of the World's Largest & Most Complete Automotive buying guide -338 pages! See pages & pages of brand new 1869 items not yet offered in stores. Over 85.000 items in stock ready for shipment. Our tremendous buying power & huge volume will save you up to 50%. This catalog will show you the greatest money-saving values & the greatest selections we've ever-offered.

Just Off the Press! It's the Latest & Largest—308 Pages! See what's new for 1809 in the automotive field. Buy with utmost confidence—Whitney Guarantees 180% Satisfaction or Your Money Back.

J. C. Whitney E Co. 1817 Archer Ave., Chicago 16.

J. C. Whitney & Co	., 1917( C-1 ) Arche	r Ave., Chicago 16, II
Rush giant 1568 (	atalog of Auto Acce art of mailing & han	meries & Parts. I en- dling cost, refunded on Good in U.S.A. only.
Name		

WHAT'S	YOUR
PROBLEM	2 continued

springs to be increased by the metal to mai contact to where the ride would be affected New inserts are easily installed by lifting the car's frame to take the weight off the spring and then spreading the leaves and slipping the new inserts into place.

Another possibility is that someone installed springs or some other type of overload device on the rear of the car. However, you shouldn't have any difficulty in determining whether this has been done because such things are easy to see. Also, it is possible that someone installed 9-leaf station wagon springs on the car in pl of its original 7-leaf springs. This can be dete mined by counting the number of spring leaves

If nothing else works out, you may have t replace the rear springs with a set of new on of the correct type for the car. Whatever ye do, be sure to reconnect the shock absorbe before you drive the car.

### UNHAPPY DRAGGER

Dear Don:

After getting waxed in my last three drag races I've decided to do something to my Chevy, It's a '57 two-door with a 283-inch engine. The engine is stock right now. I have to use my car every day so I can't tear it down for boring or stroking or anything like that What I've decided to do is install a set of Hedman headers, a Corvette distributor, and a McGurk six-carburetor intake manifold What other changes would you recommend?

> - Art Kennedy Phoenix, Arizona

As long as conditions make it necessary for yo to restrict your engine work to bolt-on equipment, you're on the right track, Bolt-on equipment by itself is good for some preformance)? increase but full advantage of its potentia can't be realized unless modifications are made to the engine's innards. But if you can't park the car for a few days, you'll have to depend on bolt-on parts.

I can go along with the headers and the Corvette distributor but I can't agree with the six-carburetor intake manifold, Manifolds of this type were designed for all-out competition engines that have been bored, stroked, have reground camshafts, have been fitted with oversize valves, etc. I'm afraid one of them would provide more carburetion than an otherwise stock engine could use. This would result in poor low speed performance. The design of McGurk six-carburetor manifolds makes it pos-

## BUILT TO TAKE IT!

THE WAHLBORG

SCRAM-BUGGY



## TWO GREAT MODELS! NOTE VERY LOW CENTER OF GRAVITY

Meet the Scram-Buggy, most durable car of its type — boosting an amazingly sturdy heavy-duty frame that's that to take knocks without giving an inch! Wahlborg's high quality construction assures you of a rough 'n'.

Et Old competitor that just won't tip, a car that's as trouble-free as a car can be!

ifold theel Base 50"; Tread overall 34"; hight 25". In theels are ball bearing, assumetic 2-ply thres. The second is channel steel for amount in the second is direct, geometry correct and accurately built, catered and cambered.

talled

devia

drug

inch

have


and

nade park pend

the

the

ave



SB 150 with clutch \$179.50 • SB 110 direct drive \$179.50 or WITHOUT ENGINE - \$133.50

Completely welded and drilled—You mount wheels and engine.

AVAILABLE WITH 2- OR 4-CYCLE ENGINE—WITH OR WITHOUT CLUTCH

WISO AHLBORG ENGINEERING CO.

3103 PACIFIC COAST HWY. C-1 TORRANCE, CALIF. BOX 1277

### KING-SIZE QUARTER MIDGETS



Ever since iskenderian started designing and pro Ever since Issuenceron stored designing and pro-ducing racing cams for the ½ Midgets, competi-tion and performance took a giant step forward. Their excellent low speed torque and very high revving ability are unmatched for peak efficiency. An isky Quarter Midget installation is a sure-fire contender for trophy honors. Avoidable for Conti-nental, Wisconsin AKN and Cushman engines.

Lobes are hardened to insure long life and durabil-Grinding price, \$25.00, exchange. Outright



### CORVETTE OWNERS

Auto top lift, removes, stores your top	9.95
Italian driving gloves	7.95
Sun visors	
Palco Flywheel shield	49.50
Sterling Silver Corvette Jewelry Keychain,	
Culf Links, Tie Bar	
From Cornella catalan made soon	

Auto Specialties, Bex 151M. Pa

### WHAT'S YOUR PROBLEM? continued

sible to use them very satisfactorily with a two or four carburetors but unless you plan completely modify the engine in the future would be wiser to buy a three-carburetor ma fold instead. A three-carburetor manifold as three two-throat carbureters would be ideal to party your engine. When fitted with progressive threetake tle linkage adjusted to open the middle a buretor at lew speeds and the end carburets under full throttle conditions, the car would n well at low speeds and have ample carburette Co at high speeds. Give it a try.

When you install the Corvette distributer might be a good idea to install one of the 16.0 special high-performance coils now available to

0

#### TOP SECRET OLDS

Dear Don:

I have a '51 Olds in which I am planning has to install a '57 Olds engine, stock except fuel-3 dual carburetors, thru an early La Salle withing o dual carburetors, thru an early La Salle withher the stock rear end. The Olds should sit righth, in my car with no sweat, but what clutder etc., should I use? I plan to rewire the con-plete car and change all bulbs, which will be quite a job, but I think it will be worth the trouble. I expect to turn 90 in the quarter demander of the desired of the desire would be highly appreciated.

would be highly appreciated.

In the looks department I am nosing, ded seed ing, and removing all side trim except out delpiece on the rear fender. '55 Chrysler tails a lights, '56 Olds rear bumpers, frenched light and I'm still thinking about the grille. I a going to use dropped spindles, cut springs in the grille in the

" mette MONZA

Here at last is the 1/4 sports car you have been hearing so much about

· Full clutch · Rugged naugahyde upholstery Swing front axle suspension 
 Your choice of colors with your racing number 
 Big car racing type steering wheel . Two seated . Carpeted . This car is fully

engineered and manufactured by the aircraft standards as the Jet Aircraft of today . Completely safe . Real roadability · All the feel of a big car

Send for our free informative brochure

A product of

### CHARCON ENTERPRISES

CC-1C, 7712 Gentry, North Hollywood, Calif.

COMPLETE READY TO RUN OR RACE Distributed by

LUTHER ENGINEERING 6 Esther, Pasadena, Calif. DEALER INQUIRIES INVITED aled

**kHa** 

**McHa** 

**lcHa** 

nap-

Иc

wheels for lowering. I don't think I will have "C" the frame if I use heavy-duty shocks and air supports in my coils. The rest of my many ideas are "Top Secret."

heterotes? Can they get enough air?

- Gene R. Cunningbam Jacksonville, Florida

reties (Cad-La Salle transmission can be adapted to a Olds engine quite simply. Adaptors for this uter lespese are available for approximately of tel6.00. A stock Olds stick-shift flywheel, presiliables plate, and driven disc assembly are used, teng with stock Olds clutch release linkage, teng the stock of the stock o

### CHRISTMAS GIFT IDEA

RACING SCENES AND DETAIL DRAWINGS IN COLOR
ON FINEST STOCK, SUITABLE FOR FRAMING.



All new ideas for experimental go karts.
Includes details & measurements. 22"x29" \$1 ppd.

Available from Kart dealers or order direct from

DELTA DESIGN box 1131, fleetwood annex covina 10, california

## QUARTER MIDGET BUILDERS AND OWNERS

Complete line of Continental Red Seal engines and parts in stock, Also clutches and wheels. Complete stocks of most other air-cooled engines and parts available. Robert Bosch and Lodge plugs for all cars and motorcycles.

**Authorized Continental Distributor** 

### MICHIGAN ENGINE SUPPLY AND SERVICE COMPANY

3811 Twelve Mile Road Berkley, Michigan







aled to the child's head and Dad's pocketbook." "Worn by more drivers than any other safety helmet offered."

hap-on Face Shield" With Two Lens...

West Coast Dist. WEBCO, INC. East Coast Dist.

218 Main Street Venice, Calif. BIRCHARD SALES CO. 449 So. 5th Ave. Mt. Vernon, N.Y.

or write direct

ICHAL ENTERPRISES Digit. CC-1 +725 North Prairie Ave. • Hawthorne, Calif

Stick shifts our specialty, featuring '55, '56, '57 Chevys, Fords and Flymouths. We have processed these carefully selected stock cars into distinc-tive, yet moderate customs. Features include proper lowering, pipes, removal of chrome clutter, naugahyde interiors and special paint jobs. Sensibly priced.

MARVIN LEE 1650 E. Colorado .
Pasadena, California





THE HOT ONE FOR \$24 % Complete Page Parts and

Tune Up Book ar Centrifugal Clutch with Each Order SEND only \$10.00 Bolonce C.O.D.

FLEXO PRODUCTS

.5180 Venice Blvd., Los Angeles 19, California



## LATHAM SUPERCHARGER Sets "A" Dragster Record at Santa Ana

Jim Nelson's little Latham Supercharged "Dragmaster" whipped four 400 cu. in. plus GMC Supercharged Chrysler behemoths in the process. The 352 cu. in. Chevy dragster, in setting a new record at the NHRA Invitational Meet on Sept. 21st, proved again that the make of Supercharger is more important than cubic inches.

Write for Latham literature. Name your engine, please.

### LATHAM MANUFACTURING COMPANY

P. O. Box 165 Dept. C-2 West Palm Beach, Florida

## BLOWERS

multiple aircraft carburetors, another was Hilborn injector setup of the closed to type, and the third was an open-face Hilb coure type, and the third was an open-face with the course type type. injector setup. A closed-face injector syn by means of a pair of throttle valves blow ine b also feeds fuel into the air stream enteri the blower but has its main fuel feed noz in the legs of the log-type intake manifolume close to the ports in the heads. An open-hat the system is one that utilizes a regular inject comp setup made for a normally-aspirated engine is Air flow to the cylinders is controlled by sodifie throttle valves in the injector air inlets all fuel for the engine flows through pring, standard injector nozzles. Nothing is find, in to the inlet side of the blower. sting

at o

at is

e bl

McCulloch centrifugal blowers were send coin a number of installations. One of the blo used a single blower that forced air into ting inlet of a standard Hilborn injector. Anot klition used two blowers, one on each side of used two blowers, one on each side of over tengine, that forced air through two partia difficienclesed carburetors of the type used on Fouriers freed with factors conserved engine V8 engines fitted with factory supercharters as installations. Still another used two blowdude in a two-stage installation. Air from a blower was fed into the inlet of the oth which boosted the pressure of the air so the higher before delivering it to the engine by Two-stage supercharging can provide be the Two-stage supercharging can provide hength boost pressure but it has the inherent sting advantage of heating the air that parther through the blowers to high temperature. through the blowers to high temperatures the As the temperature of the air delivered construction any blower goes up, the weight of the air a berelation to its volume drops. The same we ume of air is forced into the engine's cylindrical relationships and the same we have a same we hav ders but the weight of the air, not the ume, is the factor that is important to engas co performance.

Though Latham axial-flow blowers were time the minority the cars that had them long formed quite well. The blowers were fit with multiple side-draft Carter carburent the l Latham blowers are driven by a wide belt that has a rubber-base friction surf drag and they are unique in the present crop HRA available units in that they don't have internal gears or speed multiplying devike uports the blower's rotor revolves in two bearings and all speed multiplying devike uports the blower's rotor revolves in two bearings and all speed multiplying and all speed multiplying and all speed multiplying the speed multiplying and all speed multiplying and all speed multiplying and all speed multiplying and all speed multiplying the speed multiplying and all speed multiplying the speed multiplying devike upon the speed multiply upon bearings and all speed multiplication is point

76

CAR CRANUAR

t of

siled by the diameters of the driving and iven pulleys.

wa All blower installations have one thing in add ommon and that is their high cost. Manusible courses of blowers and installation kits for savenger cars often compare this cost with a senger cars often compare this cost with one to be conventional methods to show that blower can be installed for the ter blower can be installed for the approxi-tion are cost of gaining somewhere near the fine the transposer output by other methods are full this comparison doesn't hold water for competition engine. A competition engine notiat is to be expected to be a winner must be by addited in the conventional manner before odified in the conventional land involve by blower is installed. This can involve the bone, stroking, camshaft regrinding, portioning, stroking, camshaft regrinding, portioning of a good exhaust system, fines, installation of a good exhaust system, sullation of a suitable ignition system, adsting the engine's compression ratio so the blower won't be too high for the octane to blower won't be too high for the octane to ting of the fuel to be used, etc. Also, in the light of light of the modifications made to impose the engine's horsepower output, other the odifications are usually necessary to help the engine hold the high combustion presented. hat res and stay together. These modifications owclude machine work on the cylinder block permit the installation of special or addiball sealing members between the block of the cylinder heads, installation of steel in bearing caps or devices designed to another stock caps, and installation of full-thating or heavy-duty connecting rod inserts.

The all these things are done, and they will be done if the engine is to be at all ust be done if the engine is to be at all constructions and the same are all constructions and the same are all all as a same are all as a

For drag racing, under NHRA rules, the derence in the cost of gasoline for a seans of competition with a blown engine and to falcohol and the nitro and other addates that would be used by an unblown gine for the same performance might go long way toward making up for the cost the blower installation. This wouldn't be the for Bonneville, where it is permissible use any type of fuel, or for competition drag strips that don't operate under of HRA sanction and therefore don't have a left restrictions. But expensive or otherwise, where the up your mind now to run a blower syour car if it has only one engine and intend to be a dragstrip or Bonneville of the cost o



life. Red Seal heavy-duty air-cooled models are built to get up and go. Greater piston displacement provides power in excess of their rating, plus low-speed lugging ability to eliminate stalls. Exclusive Contex external ignition system speeds and simplifies adjustment, and doubles life of points and plug.


FOR
DESCRIPTIVE BULLETIN
AND ADDRESS OF YOUR
DEALER, DROP A CARD
TO "MIDGETS," AT THE
ADDRESS SHOWN BELOW:



AU SERIES

Continental Motors Corporation
INDUSTRIAL AIR COOLED ENGINE DIVISION
12800 KERCHEVAL AVE. DETROIT 15 MICH.

# AUTO-DASH-PICTURE-HOLDER



MAIL \$1.00 CASH TONY

P. O. BOX 387, ZION, ILLINOIS

### LET'S FACE IT...

DRAG RACING tears up equipment worse than any other automotive activity-Sowhat holds up best at the drags is the brand that will give you best service in your street, street and race, or all-out race machine.

HAYS RACING CLUTCHES (not rebuilt stockers) have earned the reputation of being drap racing's most trouble free unit - say good-bye to your clutch troubles by order-

ing a HAYS today.

Write for free brochure
PRICES START AT \$55.00

HAYS RACING CLUTCHES

608 E. 4th St., CC-1, Santa Ana, Calif. Phone TW. 3-0155

## INTRODUCING THE KART



Made exclusively for Go-Karts and 1/4- or 1/2-Midgets only to give ample room in the cockpit and safer and

All wheels have satin-aluminum finish, 101/2" overall. No C.O.D.'s Model GKW, wheel only please GHK, mounting hub assembly \$3.50

### EELCO MANUFACTURING CO.

P. O. Box 4095 C

inglewood, California







George Cerny CERNY'S BODY SHIP

MRL

Sa

loin i

sports

aroun or bo

comfo

desire with r

litera

87" o

D

I

### BUICK RIMS

Dear George:

Can I put Buick ('54) headlight rims of '51 Ford? Will the job be difficult? The you for your much-needed help.

> - Ronnie Navarro. Summit. New Jersey

Yes, Ronnie, this installation has been p formed before with much success, but it is job that will consume much time and w However, the results are very gratifying.

### MERC FOR FORD

Dear George:

I have a '47 Ford 2-door sedan that I customizing. I would like to french the h lights and would like to know if the '52 M ring will work? Are they the best for this it What kind of taillights would you suggest

Thanks for any information.

- Tom Reed. Burkburnett, Texas

The deep '52 Merc ring is about the bes the job, Tom. For the taillights I would sug that you try '49 Mercury lenses set in a in the rear fenders.

### HOOD HUMP

Dear George:

I have a 1949 Ford and I would like know if there is a hood that will fit doesn't have the hump in the middle?

- Garry Moyer Eldred. Pa.

You are lucky, Garry, in that there is a h that will fit perfectly on your Ford and doe have the hump. Use a '51 Ford hood to an your problem.

CONTINU

CAR CRINUAL

509

## Scotty's 1/4 & 1/2 MIDGET ENGINE PARTS AND ACCESSORIES

PARTS OF PROVEN PERFORMANCE AND DEPENDABILITY HOENIX NATIONAL CHAMPIONSHIPS Dec. 29, 1957

World Record - Open Fuel Car 6X owned by Don Peck World Record - Open Gas Car 9V owned by Tally Byars

These engines still in use — 1 year later!

WRIES SCOTT . BOR LEHMANN . TALLY BYARS

FRFF Parts & Price Lists

Scotty's RACING EQUIPMENT Phone Turner 9-6196 or Turedo 4-45133

loin in the latest sport with this exact scale replica of the famous Devin fiberglass bodied sports car. Handles like a true sports car on miniature road courses, in parking lots, ground home. Available as a complete car, separate components around name. Anatoble as a complete cut, separate combody only, the Devin Jr. seats two youngsters comfortably, can be geared to reach any speed desired from 8 mph to 45 mph. Send \$1.00 (refundable with purchase) for plans, parts list and descriptive literature. Order from this od.

price: Complete car \$39500 87" overall, 31" tread, 49" wheelbase

9800 EAST RUSH STREET, EL MONTE, CALIFORNIA

DO-IT-YOURSELF STRIPING



A New and Easy Method for Striping Your Car Designed Specifically for the "Do It Yourself Fan-Reg, Kit Includes: Easy Instructions. Illustrations. Patterns. Pro. Brush. Ready-Mixed Striping Paint, Specify I Color: White. Black, Red Kit #2 (Reg. Kit Plus 2 Extra Colors) 5.00 Kit #3 (Reg. Kit Plus 2 Extra Colors) 6.00 Kit #3 (Reg. Kit Plus 2 Extra Colors) 6.00 Kit #4 (Reg. Kit Plus 3 Colors, Spci. Patterns) 8.00

Vent Striping Kit 509 N. SAN FERNANDO . DEPT. CC-1 . BURBANK, CALIF.

CHNUARY, 1959



1959 EDITION

Send only 25¢ to cover handling. Refundable on first order.

## **NEW GIANT CATALOG**

100'S OF BRAND NEW PRODUCTS!

SAVE UP TO 50° & MORE!

Thousands upon thousands of the top values in only Finist Quality Tested Products from our stock in over 150,000 items. Page upon page jam packed with the very newest items and products for car owners. Guaranteed biggest Values ever offered by the great Newhouse ganization Have the Catalog mailed to you to

NEWHOUSE AUTOMOTIVE INDUSTRIES Dept. 954

5805 E. Beverly Blvd., Los Angeles 22, Calif

### Another NEW Performance Thrill!

TRACTION-MASTER SHOCK ABSORBERS

For your car's Better, Safer Handling Write for details on this sensational "Genuine Traction Master product

TRACTION-MASTER CO

## EASTERN H



thrills for the whole family. Up to 38 MPH. Race-Car handling. Complete kit \$129.50 at Eastern HQ. Write for information. • Own a Kart? Go-Kart Assoc. being formed! Register with us! Send name & address.

## CALIFORNIA SPEED & SPORT

298 Jersey Ave., CC-1 New Brunswick, New Jersey

## McCulloch Supercharger

Sales & Service for the Southwest

HENRY'S CUSTOM SHOP

2312 Victory (64th) Dept. C1 Galveston, Texas

### CUSTOM QUERIES

### FINNED FENDERS

A G

CAN

C17(

CT74

with Comp

ĸ

Stat

\*

Dear George:

I have a '53 Merc which I am planning a customize in the near future. I want to fa the rear fenders, but don't know how to g about it. How much will it cost me if I de the job myself?

> - George Tester Portland, Oregon

Well George, you are taking on a mighty big job. My guess at a "do-it-yourself" job would be about \$100.00.

### STATEMENT OF OWNERSHIP

STATEMENT REQUIRED BY THE ACT OF AUGUST 21
1912, AS AMENDED BY THE ACTS OF MARCH 3,
1933, AND JULY 2, 1946 (Title 39, United Stein
Code, Section 233) SHOWING THE OWNERSHIP,
MANAGEMENT, AND CIRCULATION OF CAR CRAF
MAGAZINE, published monthly et Los Angeles,
California, for October 1, 1958.

1. The names and oddresses of the publisher, edite,

and business managers are:

Publisher: Robert E. Petersen, 5959 Hollywood Blvd. Los Angeles 28, Calif. Editor: Dick Day, 5959 Hollywood Blvd., Los Angele

Managing editor: Don Evans, 5959 Hollywood Blvd. Los Angeles 28, Calif.

Los Angeles 28, Colif.

Business manager: T. A. Johnson, 5959 Hollywos
Bivd., Los Angeles 28, Colif.

2. The owner is: (If owned by a corporation, is
name and address must be stated and also immediately
thereunder the names and addresses of stockholde
owning or holding 1 percent or more of total amount
of stock. If not owned by a corporation, the name
and addresses of the individual owners must be gives If owned by a partnership or other unincorporated firs, its name and address, as well as that of each instituted member, must be given.)

Petersen Publishing Co., 5959 Hollywood Blvd., Le

reserven rubinshing Co., 3939 Mollywood Blvd., Le Angeles 28, Calif.
Robert E. Petersen, 5959 Hollywood Blvd., Les Asgeles 28, Calif.
3. The known bondholders, mortgogees, and other security holders owning or holding 1 percent or most of total amount of bonds, mortgoges, or other securities are [If there are none, so state.]

None.

4. Paragraphs 2 and 3 include, in cases where the stockholder or security holder appears upon the book of the company as trustee or in any other fiducion relation, the name of the person or corporation to whom such trustee is acting; also the statements in the two paragraphs show the afform's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do an appear upon the books of the company as trustees, had stock and securities in a capacity other than that a bona fide owner.

5. The average number of copies of each issue a

5. The average number of copies of each issue this publication sold or distributed, through the mai or otherwise, to poid subscribers during 12 month preceding the date shown above was: (This informaties is required from daily, weekly, semiweekly, and the weekly newspapers only.)

T. A. JOHNSON, **Business Manag** 

Sworn to and subscribed before me this 25th des of September, 1958.

J. A. THOMPSON (My commission expires May 24, 1962.) (SEAL)

OHY

E.H.

#### CHROME TAPE

A GLEAMING SELF STICKING Chrome Tape for thousands of astomizing ideas. FEATURED in May issue of Rod and Cus-tom Magazine—Use on dash or outside. Many Household Applications.

CAN BE TINTED WITH KOLOR-KNOME PAINT-

ng t

o fa

to m

I de

y big

9

T 24 CH 1

State

CRAF

gele

Blvd.

Blvd.

olde

mou

firm,

indi

s As

16141

book scion n fe tris it ledge under

hold qt mail onth

entia

i tel

da

262.

fish Roll Contains 72 yards of off sticking tops.

HONEST Nos. WE PAY POSTAGE C17014—1/4" wide 72 yd. rell C17038—3/8" wide 72 yd. rell C17012—1/2" wide 72 yd. rell C17034—3/4" wide 72 yd. rell 72 yd. roll 72 yd. roll 72 yd. roll 72 yd. roll 72 yd. roll



\$2.95 3.50 5.25

### KOLOR KROME

For

The most sensational customizing product in years Featured in recent issues of Rod and Custom and Custom Cars Magazines - Formulated by George Barris - Mr. Custom Car hisself - Transparent Coloring for Chrome-the (mirror like) reflection of chrome shows through-

4 Dazzling Colors in 16 az. Spray Can

HONEST'S No. ICK-1 Pagen Gold

KK-2 Candy Apple Red KK-3 Oriental Blue KK-4 Parisian Gree

16 oz. Can Each \$1.98 Postpaid

For Chrome-Stainless Steel-Polished Aluminum

### LOWERING BLOCKS For All Cars

with 2 Leaf Springs on Rear Complete with U-Bolts. Kit to Lower Rear Bumper 2" - \$3.95 Kit to Lower Rear 3" \$4.50

Kit to Lower Rear 4" \$4.95

State Year and Model Car



HONEST No. 51

HOLLYWOOD WOLF WHISTLE



Engine Vacuum \$2.95 Postpaid HONEST No. 15

#### "CHATTERING (HONEST) CHARLIE"



In tells — he chotters — Slighteet sixeneant of car series jews to gen and clean with feed "Yackiny Tell" — Brilliant Bhinastena Eyen chies caste diffect on tight. Camen with hanging cord and rubber suctin cap far easy two way moverful or doch-windshield or reser view.

HONEST No. 74 Each \$1.65 We Pay Pestage

SPECIAL 

OHV V-8 Engines need 28 ft. F. H. Fords need 25 ft.



PINSTRIPING 12 Separate Designs Per Set

Colors: Red-Gold-White-Black Each set of 12 Designs only \$1.00 postpaid HONEST No. 39

NEW FIESTA TYPE CHROME WHEEL COVERS WITH CHECK BACKGROUND

14" or 15" For all cars — Replaces original factory type.



struction. Space for Weights Set of 4 \$28.95 HONEST No. 40

Set of 2 \$14.50 HONEST No. 41 (State size of Wheel)

CALIFORNIA SCALLOPS ALFORNIA SCALLOPS
Enclusive dineon car Scallops
drifty detection from \$27-\$100
pointed jobs, designed by
Jeffries, famous pin strips
elfer-Easy to apply in accounds
water. Bach filt Connains 26
Decals on 2 sheets (27 = 30")
as of Silver shedsed into Gold
old shedded into Silver — Say



ich Kit of 26 D EST No. 76 We Pay Postage

IMPALLA EMBLEM Self Sticking

Fender Skirts

Trunk Lid \$1.00 HONEST No. 73

### STAR FIRE SPINNER



For All Hub Caps - easily attached with screws HONEST No. 77 Each \$2.95

14"

15"

16"

### SOM-RAY SPUN ALUMINUM WHEEL DISCS HEAVY GAUGE Complete with Screws and Instructions

FOR DRAGGIN' OR THE



**Bolt On Type** NEW LOW PRICE . . . HONEST NO. 49 . . . \$2.95 EACH

#### SNAP ON TYPE

Fit Like Regular Hub Caps

Same Quality as our Famous Racing Discs 14" 15" 16"

\$2.95 Each HONEST No. 49A



Send 25c for new 1958 Surprise Money Saver Catalog—then next issue

SEND 25% DEPOSIT ON C. O. D. - SEND FULL AMOUNT ON ITEMS MARKED PREPAID NO CODS FOR LESS THAN \$5.00

Name			rear
Address			
City		State_	
0	Part No.	D	14
Quarinty	Part No.	Description	Price
			-

HONEST CHARLEY SPEED SHOP

### ZIP GRANDEL

1/4 and 1/2 Midget Safety Harness

Send for Free Literature
P.O. Box 4273, Dept. C1, Panerama City
PHONE Empire 2-5442

POWER FOR

YOUR

GO CART



DEALER INQUIRIES INVITE

CAST ALUMINUM CLINTON ENGINE EXHAUST HEADER	\$5.95 EA.
CAST ALUMINUM WESTBEND ENGINE EXHAUST HEADER	\$5.95 FA
CAST ALUMINUM CHAIN GUARDS PRECISION WHEEL BEARING KIT, TWO WHEE	\$3.95 EA.
FOUR WHEE	LS \$18.00

### PALMINI ENGINEERING

3156 N. San Gabriel Blvd., C-1, So. San Gabriel, Calif.

## PLANS AVAILABLE FOR

America's MOST BEAUTIFUL QUARTER MIDGET



FULL 50" WHEELBASE Big enough for a 1/2 midget

Small enough for a ¼ midget Plans & Parts List \$2.00

ECONOMY KITS ASSEMBLY KIT \$330. COMPLETE CAR \$395.

Prices F.O.B. Milwaukee
For further information write:

WERNER LI'L CHAMP

6454 N. 40th Street Milwaukee 9, Wisconsin

## SHOW CARD

January 8 thru 11
San Mateo Fairgrounds,
San Mateo, California
CUSTOM ROD &
SPORTS CAR SHOW
Harry Costa, P.O. Box 522
S. San Francisco, Calif.

February 5, 6, 7, 8, 9 State Fairgrounds Sacramento, California SACRAMENTO AUTORAMA Harold Badgasarian, 6008 - 41st St. Sacramento, Calif.

February 14, thru 22 Oakland Exposition building NATIONAL ROADSTER SHOW Mary Slonaker, 321 - 17th St. Oakland, Calif.

### COMING ATTRACTION

Connecticut cutie, Joyce
Cunliffe, points a finger at
one of next month's star
features – bandmade plastic
taillight lenses! The latest in
custom car disguises – be on
hand to see how easy it is to
shape a pair for your car.





Grenta

Charlie is showing how to properly hone cylinders, using, here, a #430 grit stone for the right finish. This gives excellent breakin characteristics to the re-ring job.

. . . But that's not all. The next step is to thoroughly clean out the honed cylinders

and this must be done exactly right or the job will be spoiled.

Then install GRANT PISTON RINGS for the best rebuilt engine. Send in the completed coupon below for PROPER CYLINDER WALL FINISH.

THE GRANT
PISTON RING
COMBINATION

1. Carnful side-seing of
this Top Composition ring,
with its special "dishing"
action builds and holds
power.
2. Grants" double oilcarrying second Compression ring maintains an
cylinder walls and doubly
insures compression
sealing.
3. Grants' great oil carrying ring controls excess oil
due to a unique dove-tailed
gain dragfree liveliness and to correct sluggish engine conditions.

THE RING LEADER"

Careful engine builders, in all classes of combustion engines, are exceedingly critical of cylinder wall finish, and once they are satisfied, the next important step is to install thoroughly cleaned pistons, with new piston rings ... The rings must fit to exacting clearances, determined by their experience, to be right ... No more, no less.

"Side clearance" and "wall clearance" make the difference between a good ring job and a bad one.

Rely on GRANT PISTON RINGS to prevent blowby gasses around the back of the rings.

Satisfaction comes from the power you get, gained from the proper cylinder wall finish and piston ring clearances.

Dealers, BE SURE, with GRANT PISTON RINGS . . .

Write or give GRANT a call, DUnkirk 7-4213

Proper to great and Great, 241 %. Westmereland Ave., Los Angeles 4, Cellif.

Great and Great, 241 M. Westmoreland Ave., Los Angeles 4, Co Gentlemen: Send me a copy of your "PROPER CYLINDER WALL FINISH"

	NAME	
Married September 1	ADDRESS	
	CITY	STATE
	**********	**********************

241 N. Westmoreland Avenue, Los Angeles 4, Calif.

